


Cambridge University Press

Handbook of Space Astronomy and Astrophysics



Second Edition by Martin V. Zombeck

ISBN 0 521 34550 2 (hardbook)

ISBN 0 521 34787 4 (paperback)

Dr. Martin V. Zombeck
Smithsonian Astrophysical Observatory
60 Garden Street
Cambridge, MA 02138
USA



mvz@cfa.harvard.edu

PDF made by © 2003 *Leandro Da Vinci* @ *LEONARDO*

Chapter 1

General data

Fundamental physical constants (SI)	2
Fundamental physical constants (c.g.s.)	10
Sun- Earth system constants	10
Cosmological data	11
Unit conversions	11
Conversion tables	12
Numerical constants	16
Mathematical formulae	17
Elementary particles (short list)	17
Elementary particles	18
Energy conversions	19
Prefixes and symbols	19
Periodic table of the elements	20
Greek alphabet	22
Bibliography	22

Fundamental physical constants (SI)

(1986 recommended values of the fundamental physical constants. The digits in parentheses are the one-standard-deviation uncertainty in the last digits of the given value.)

Quantity	Symbol	Value	Units	Relative uncertainty (ppm)
GENERAL CONSTANTS				
UNIVERSAL CONSTANTS				
speed of light in vacuum	c	299 792 458	m s^{-1}	(exact)
permeability of vacuum	μ_0	$4\pi \times 10^{-7}$ $= 12.566 370 614$	N A^{-2}	(exact)
permittivity of vacuum	ϵ_0	$1/4\pi\mu_0 c^2$ $= 8.854 187 817 \dots$	$10^{-12} \text{ F m}^{-1}$	(exact)
Newtonian constant of gravitation	G	6.672 59(85)	$10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$	128
Planck constant	h	6.626 075 5(40)	10^{-34} J s	0.60
in electron volts, $h/ e $		4.135 669 2(12)	10^{-15} eV s	0.30
$h/2\pi$		1.054 572 66(63)	10^{-34} J s	0.60
in electron volts, $h/2\pi e $		6.582 122 0(20)	10^{-16} eV s	0.30
Planck mass, $(hc/G)^{1/2}$	m_P	2.176 71(14)	10^{-8} kg	64
Planck length, $\hbar/m_P c = (\hbar G/c^3)^{1/2}$	l_P	1.616 16(10)	10^{-35} m	64
Planck time, $\hbar/c = (\hbar G/c^5)^{1/2}$	t_P	5.390 56(74)	10^{-44} s	64
ELECTROMAGNETIC CONSTANTS				
elementary charge	e	1.602 177 33(49)	10^{-19} C	0.30
magnetic flux quantum, $h/2e$	Φ_0	2.017 988 36(72)	10^{-14} Wb	0.30
Josephson frequency-voltage ratio	$2e/h$	2.067 834 6(16)	10^{-15} Vb^{-1}	0.30
quantized Hall conductance	e^2/h	4.835 976 7(14)	$10^{14} \text{ Hz V}^{-1}$	0.30
quantized Hall resistance, $h/e^2 = 3/8g_0 r$	R_H	3.874 046 14(17)	10^{-3} S	0.145
		25 812.805 6(12)	Ω	0.145

Bohr magneton, $eh/2m_e$, in electron volts, $\mu_B/ e $ in hertz, μ_B/h in wavenumbers, μ_B/hc in kelvins, μ_B/k	μ_B	9.274 015 4(31) 5.788 382 6(52) 1.599 624 18(42) 46.686 437(14) 0.671 709 9(57)	$10^{-24} \text{ J T}^{-1}$ $10^{-5} \text{ eV T}^{-1}$ $10^{10} \text{ Hz T}^{-1}$ $\text{m}^{-1} \text{ T}^{-1}$ K T^{-1}	0.34 0.089 0.30 0.30 8.5
nuclear magneton, $eh/2m_p$, in electron volts, $\mu_N/ e $ in hertz, μ_N/h in wavenumbers, μ_N/hc in kelvins, μ_N/k	μ_N	5.050 786 6(17) 3.152 451 06(28) 7.622 591 4(23) 2.542 622 8(7.7) 3.658 246(31)	$10^{-27} \text{ J T}^{-1}$ $10^{-8} \text{ eV T}^{-1}$ MHz T^{-1} $10^{-2} \text{ m}^{-1} \text{ T}^{-1}$ 10^{-4} K T^{-1}	0.34 0.089 0.30 0.30 8.5
ATOMIC CONSTANTS				
ATOM				
fine-structure constant, $\frac{1}{137} \alpha^2 e^2/h$ inverse fine-structure constant Rydberg constant, $\frac{1}{2} m_e c^2/h$ in hertz, $R_\infty c$ in joules, $R_\infty hc$ in electron volts, $R_\infty hc/ e $ Bohr radius, $a_0/4\pi R_\infty$ Hartree energy, $e^2/4\pi\epsilon_0 a_0 - 2R_\infty hc$ in electron volts, $E_h/ e $ quantum of circulation	α^{-1} α^{-1} R_∞ a_0 E_h $h/2m_e$ h/m_e	7.297 353 08(33) 137.035 989 5(61) 10 973 731.534(13) 3.289 841 949 9(29) 2.179 874 1(12) 13.605 698 1(40) 0.529 177 249(24) 4.359 748 2(261) 27 211 396 1(81) 3.636 948 07(33) 7.273 896 14(65)	10^{-5} m^{-1} 10^{15} Hz 10^{-18} J eV 10^{10} m 10^{-18} J eV $10^{-4} \text{ m}^2 \text{ s}^{-1}$ $10^{-4} \text{ m}^2 \text{ s}^{-1}$	0.045 0.045 0.0012 0.0012 0.60 0.30 0.045 0.60 0.30 0.089 0.089
ELECTRON				
electron mass in electron volts, $m_e c^2/ e $ electron muon mass ratio electron proton mass ratio electron deuteron mass ratio electron α -particle mass ratio	m_e m_e/m_μ m_e/m_p m_e/m_d m_e/m_α	9.109 389 7(54) 5.485 799 03(13) 0.510 999 06(15) 4.836 332 18(71) 5.446 170 13(11) 2.724 437 07(6) 1.370 933 54(3)	10^{-31} kg 10^{-4} u MeV 10^{-4} 10^{-6} 10^{-4} 10^{-4}	0.59 0.023 0.30 0.15 0.020 0.020 0.021

Fundamental physical constants (SI) (cont.)

Quantity	Symbol	Value	Units	Relative uncertainty (ppm)
electron specific charge	e/m_e	-1.758 819 62(53)	$10^{11} \text{ C kg}^{-1}$	0.30
electron molar mass	$M(e), M_e$	5.485 799 03(13)	$10^{-3} \text{ kg mol}^{-1}$	0.023
Compton wavelength, $h/m_e c$	λ_C	2.426 310 56(22)	10^{-12} m	0.089
$\lambda_C/2\pi = \alpha^{-1}/4\pi R_\infty$	λ_C	1.861 593 23(35)	10^{-11} m	0.089
classical electron radius, $\alpha^2 a_0$	r_e	2.817 940 92(38)	10^{-17} m	0.13
Thomson cross-section, $(8\pi/3)r_e^2$	σ_T	0.665 246 16(18)	10^{-28} m^2	0.27
electron magnetic moment	μ_B	928.477 01(51)	10^{-26} JT^{-1}	0.34
in Bohr magnetons	μ_B/μ_N	1.001 159 652 193(10)		1×10^{-6}
in nuclear magnetons	μ_B/μ_N	1836.282 000(37)		0.020
electron magnetic moment anomaly, $\mu_B/\mu_B - 1$	a_e	1.159 652 193(10)	10^{-4}	0.0086
electron g-factor, $2(1 + a_e)$	g_e	2.002 319 304 386(20)		1×10^{-6}
electron muon magnetic moment ratio	μ_e/μ_μ	206.766 967(30)		0.15
electron proton magnetic moment ratio	μ_e/μ_p	658.210 658 1(66)		0.010
M C U N				
muon mass	m_μ	1.883 532 7(11)	10^{-26} kg	0.61
in electron volts, $m_\mu c^2/(e)$		0.113 428 913(17)	e	0.15
muon electron mass ratio	m_μ/m_e	105.658 389(34)	MeV	0.32
muon molar mass	$M(\mu), M_\mu$	206.768 262(30)		0.15
muon magnetic moment	μ_μ	1.134 289 13(17)	$10^{-24} \text{ kg mol}^{-1}$	0.15
in Bohr magnetons	μ_μ/μ_B	4.490 451 4(15)	10^{-26} JT^{-1}	0.33
in nuclear magnetons	μ_μ/μ_N	4.841 970 97(71)	10^{-3}	0.15
muon magnetic moment anomaly, $[\alpha_\mu/(e\hbar/2m_\mu)] - 1$	a_μ	8.890 598 1(13)	10^{-3}	0.15
muon g-factor, $2(1 + a_\mu)$	g_μ	1.165 923 0(84)		7.2
muon proton magnetic moment ratio	μ_μ/μ_p	2.002 331 846(17)		0.0084
		3.183 345 47(47)		0.15

PROTON

proton mass	m_p	1.672 623 1(10)	10^{-27} kg	0.59
in electron volts, $m_p c^2/(e)$		1.007 276 470(12)	u	0.012
proton–electron mass ratio	m_p/m_e	938.272 31(28)	MeV	0.30
proton–muon mass ratio	m_p/m_μ	1836.152 70(17)		0.020
proton specific charge	e/m_p	6.880 244 4(13)	10^7 C kg ⁻¹	0.15
proton molar mass	$M(p), M_p$	9.576 830 9(39)	10^{-2} kg mol ⁻¹	0.30
proton Compton wavelength, $h/m_p c$	$\lambda_{C,p}$	1.007 276 470(12)	10^{-15} m	0.012
$\lambda_{C,p}/2\pi$	$\tilde{\lambda}_{C,p}$	1.321 410 02(12)	10^{-16} m	0.089
proton magnetic moment	μ_p	2.103 069 37(19)	10^{-26} J T ⁻¹	0.089
in Bohr magnetons	μ_p/μ_B	1.410 607 6(47)	10^{-2}	0.34
in nuclear magnetons	μ_p/μ_N	1.521 032 20(15)		0.010
diamagnetic shielding correction for protons in pure water, spherical sample, 25 °C, $1 - \mu_p^2/\mu_0$	σ_{H_2O}	2.792 847 386(63)		0.023
shielded proton moment (H ₂ O, sph., 25 °C)	μ_p'	25.689(15)	10^{-26} J T ⁻¹	0.34
in Bohr magnetons	μ_p'/μ_B	1.410 571 38(47)	10^{-2}	0.011
in nuclear magnetons	μ_p'/μ_N	1.520 993 129(17)		0.023
proton gyromagnetic ratio	γ_p	2.792 772 642(64)	10^4 s ⁻¹ T ⁻¹	0.30
uncorrected (H ₂ O, sph., 25 °C)	$\gamma_p/2\pi$	26 752.2128(61)	MHz T ⁻¹	0.30
	$\tilde{\gamma}_p/2\pi$	42.577 469(13)	10^4 s ⁻¹ T ⁻¹	0.30
	$\tilde{\gamma}_p'/2\pi$	26 751.5255(61)	MHz T ⁻¹	0.30
		42.576 375(13)		0.30

NEUTRON

neutron mass	m_n	1.674 928 6(10)	10^{-27} kg	0.59
in electron volts, $m_n c^2/(e)$		1.008 664 904(14)	u	0.014
neutron–electron mass ratio	m_n/m_e	939.565 63(28)	MeV	0.30
neutron–proton mass ratio	m_n/m_p	1838.683 662(40)		0.022
neutron molar mass	$M(n), M_n$	1.001 378 40(49)	10^{-1} kg mol ⁻¹	0.019
neutron Compton wavelength, $h/m_n c$	$\lambda_{C,n}$	1.008 664 904(14)	10^{-15} m	0.014
$\lambda_{C,n}/2\pi$	$\tilde{\lambda}_{C,n}$	1.319 591 10(12)	10^{-16} m	0.089
		2.100 194 45(19)		0.089

Fundamental physical constants (SI) (cont.)

Quantity	Symbol	Value	Units	Relative uncertainty (ppm)
neutron magnetic moment ^(a) in Bohr magnetons	μ_n	0.966 237 07(40)	$10^{-26} \text{ J T}^{-1}$	0.41
in nuclear magnetons	μ_n/μ_N	1.041 875 63(25)	10^{-3}	0.24
in nuclear magnetons	μ_n/μ_K	1.913 042 75(45)		0.24
neutron–electron magnetic moment ratio	μ_n/μ_e	1.040 668 82(25)	10^{-2}	0.24
neutron–proton magnetic moment ratio	μ_n/μ_p	0.684 979 34(16)		0.24
DEUTERON				
deuteron mass	m_d	3.343 586 0(20)	10^{-27} kg	0.59
		2.013 553 214(24)	u	0.012
		1875.613 39(57)	MeV	0.30
in electron volts, $\mu_N c^2/m_e$	m_d/m_e	3670.463 014(75)		0.020
deuteron–electron mass ratio	m_d/m_e	1.999 007 496(6)		0.003
deuteron–proton mass ratio	$M(d), M_d$	2.013 553 214(24)	kg mol^{-1}	0.012
deuteron molar mass	μ_d	0.433 073 75(15)	$10^{-26} \text{ J T}^{-1}$	0.34
deuteron magnetic moment ^(a) in Bohr magnetons	μ_d/μ_B	0.466 975 447 9(91)	10^{-3}	0.019
in nuclear magnetons	μ_d/μ_N	0.857 438 250(24)		0.028
deuteron electron magnetic moment ratio	μ_d/μ_e	0.466 434 546 0(91)	10^{-2}	0.019
deuteron–proton magnetic moment ratio	μ_d/μ_p	0.387 012 203 5(51)		0.017
PHYSICO-CHEMICAL CONSTANTS				
Avogadro constant	N_A, L	6.022 136 7(36)	10^{23} mol^{-1}	0.59
atomic mass constant, $m_u = \frac{1}{12}m(^{12}\text{C})$	m_u	1.660 540 2(10)	10^{-27} kg	0.59
in electron volts, $m_u c^2/e$		931.494 32(28)	MeV	0.30
Faraday constant	F	96 485.309(29)	C mol^{-1}	0.30

molar Planck constant,	$N_A h$	3.990 313 25(26)	$\cdot 10^{-10} \text{ J s mol}^{-1}$	4.0889
molar gas constant	$N_A k_B$	0.119 626 58(11)	J m mol^{-1}	4.0889
Boltzmann constant, R/N_A	R	8.314 510(30)	$\text{J mol}^{-1} \text{ K}^{-1}$	8.4
in electron volts, k_B/k	k	1.380 658(12)	$10^{-23} \text{ J K}^{-1}$	8.5
in hertz, k_B/h		8.617 385(73)	10^5 eV K^{-1}	8.4
in wavenumbers, k_B/hc		2.083 674(18)	$10^{10} \text{ Hz K}^{-1}$	8.4
molar volume (ideal gas), RT/p		69.503 87(59)	$\text{m}^3 \cdot \text{K}^{-1}$	8.4
$T = 273.15 \text{ K}$, $p = 101 325 \text{ Pa}$	V_m	22.414 10(19)	L mol^{-1}	8.4
Loschmidt constant, N_A/V_m	ρ_0	2.686 763(23)	10^{25} m^{-3}	8.5
$T = 273.15 \text{ K}$, $p = 100 \text{ kPa}$	V_m	22.7118(19)	L mol^{-1}	8.4
Sackur-Tetrode constant (absolute entropy constant), $\frac{5}{2}R + \ln\left\{\frac{2\pi m_0 k_B^3 T_1^3}{3h^3} \frac{p_0}{p_1}\right\}$	$S_0^{\circ} R$	1.151 693(21)		18
$T_1 = 1 \text{ K}$, $p_0 = 100 \text{ kPa}$	p_0	1.164 856(21)		18
Stefan Boltzmann constant, $(\pi^5/60)k_B^4/c^2$	σ	5.670 51(19)	$10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$	14
first radiation constant, $2\pi^5 h c^2$	c_1	3.741 774 9(27)	10^{-16} W m^2	0.60
second radiation constant, hc/k	c_2	0.014 387 69(12)	m K	8.4
Wien displacement law constant,	b	2.897 756(24)	10^{-3} m K	8.4
$b = \lambda_{\text{max}} T = c_2/4.965 114 23 \dots$				

¹⁰⁾ The scalar magnitude of the neutron moment is listed here. The neutron magnetic dipole is directed oppositely to that of the proton, and corresponds to the dipole associated with a spinning negative charge distribution. The vector sum, $\mu_n + \mu_p$, is approximately satisfied.

¹¹⁾ The entropy of an ideal monatomic gas of relative atomic weight A , is given by

$$S = S_0 + \frac{5}{2}R \ln A - R \ln(p/p_0) + \frac{3}{2}R \ln(T/K),$$

Fundamental physical constants (SI) (cont.)

MAINTAINED UNITS AND STANDARD VALUES

A summary of 'maintained' units and 'standard' values and their relationship to SI units, based on a least-squares adjustment with 17 degrees of freedom. The digits in parentheses are the one-standard-deviation uncertainty in the last digits of the given value.

Quantity	Symbol	Value	Units	Relative uncertainty (ppm)
electron volt, $(e/C)J$ (e) J	eV	1.602 177 13(49)	$10^{-18} J$	0.30
(unified) atomic mass unit, $1 u = m_u = \frac{1}{12} m(^{12}C)$	u	1.660 540 2(16)	$10^{-27} kg$	0.59
standard atmosphere	atm	101 325	Pa	(exact)
standard acceleration of gravity	g_n	9.806 65	$m s^{-2}$	(exact)
MAINTAINED ELECTRICAL UNITS				
BIPM ⁽⁶⁾ maintained ohm, Ω_{Cu-Bi}	Ω_{BIPM}	$1 - 1.563(50) \times 10^{-6}$ $= 0.999 998 437(50)$	Ω	0.050
$\Omega_{\text{BIPM}} = \Omega_{Cu-Bi}$ (1 J _{ESU} '085)				
drift rate of Ω_{Cu-Bi}	$\frac{d\Omega_{Cu-Bi}}{dt}$	0.0566(15)	$\mu\Omega/a$	—
BIPM maintained volt, V_{700-M} $\equiv 483 594 GHz (h/2e)$	V_{700-M}	$1 - 7.59(30) \times 10^{-6}$ $- 0.999 992 41(30)$	V	0.30
BIPM maintained ampere, $\Delta_{\text{BIPM}} = V_{700-M}/\Omega_{Cu-Bi}$	Δ_{BIPM}	$1 - 6.03(30) \times 10^{-6}$ $= 0.999 993 97(30)$	A	0.30
X-RAY STANDARDS				
Cu x-unit: $\lambda(\text{CuK}\alpha_1) \equiv 1537.40(10)$ XU	$\lambda(\text{CuK}\alpha_1)$	1.002 077 89(70)	$10^{-12} m$	0.70
Mo x-unit: $\lambda(\text{MoK}\alpha_1) \equiv 707.831(10)$ XU	$\lambda(\text{MoK}\alpha_1)$	1.002 099 38(45)	$10^{-12} m$	0.45
\AA^* : $\lambda(\text{W}\text{K}\alpha_1) \equiv 0.209 100 \text{\AA}^*$	\AA^*	1.000 014 51(92)	$10^{-10} m$	0.92

lattice spacing of Si (in vacuum, 22.5 °C) ^(a)	d_{220}	0.343 101 96(11)	nm	0.21
$d_{220} = a/\sqrt{8}$	d_{220}	0.192 015 540(40)	nm	0.21
molar volume of Si, $M(\text{Si})/\rho(\text{Si}) = N_A a^3/8$	$V_m(\text{Si})$	12.058 817 9(89)	cm ³ mol ⁻¹	0.74

^(a) BIPM: Bureau International des Poids et Mesures.

^(b) The lattice spacing of single-crystal Si can vary by parts in 10⁷ depending on the preparation process. Measurements at Physikalisch-Technische Bundesanstalt (PTB) indicate also the possibility of distortions from exact cubic symmetry of the order of 0.2 ppm.

(Reprinted with permission from CODATA Bulletin, Number 63, Cohen, E. Richard & Taylor, B. N., *The 1986 Adjustment of the Fundamental Physical Constants*, Copyright 1987, Pergamon Press, Ltd.)

Fundamental physical constants (e.g.s.)

Speed of light in vacuum	$c = 2.997\,924\,58 \times 10^{10} \text{ cm s}^{-1}$
Gravitational constant	$G = 6.672\,59 \times 10^{-8} \text{ dyn cm}^2 \text{ g}^{-2}$
Planck's constant	$h = 6.626\,075\,5 \times 10^{-27} \text{ erg s}$
Electron charge	$e = 4.803\,206\,8 \times 10^{-10} \text{ esu}$
Mass of electron	$m_e = 9.109\,389\,7 \times 10^{-28} \text{ g}$
Mass of proton	$m_p = 1.672\,623\,1 \times 10^{-24} \text{ g}$
Mass of neutron	$m_n = 1.674\,928\,6 \times 10^{-24} \text{ g}$
Atomic mass unit (amu)	$m_u = 1.660\,540\,2 \times 10^{-24} \text{ g}$
Proton-electron mass ratio	$m_p/m_e = 1\,836.152\,701$
Fine structure constant	$hc/2\pi e^2 = 1/\alpha = 137.035\,989\,5$
Classical electron radius	$e^2/m_e c^2 = r_e = 2.817\,940\,92 \times 10^{-13} \text{ cm}$
Bohr radius	$h^2/4\pi^2 m_e e^2 = a_0 = 0.529\,177\,249 \times 10^{-8} \text{ cm}$
Electron Compton wavelength	$h/m_e c = \lambda_c = 2.426\,310\,58 \times 10^{-10} \text{ cm}$
Rydberg constant	$2\pi^2 m_e e^4 / hc^3 = R_\infty = 109\,737\,315.34 \text{ cm}^{-1}$
Boltzmann constant	$k = 1.380\,658 \times 10^{-16} \text{ erg K}^{-1}$
Stefan-Boltzmann constant	$\sigma = 2\pi^5 k^4 / 15 h^3 c^2$ $= 5.670\,51 \times 10^{-5} \text{ erg cm}^{-2} \text{ K}^{-4} \text{ s}^{-1}$
Thomson cross-section	$8\pi r_e^2/3 = \sigma_T = 0.665\,246\,16 \times 10^{-24} \text{ cm}^2$
Bohr magneton	$eh/4\pi m_e = \mu_B = 9.274\,015\,4 \times 10^{-21} \text{ gauss cm}^2$

(Based on constants recommended by the 1986 CODATA Committee in previous table.)

Sun-Earth system constants

Equatorial radius for Earth	$a_e = 6378.140 \text{ km}$
Dynamical form-factor for Earth	$J_2 = 0.001\,082\,63$
Gravity at Earth's surface (mean)	$g_e = 980.7 \text{ cm s}^{-2}$
Ratio of mass of Moon to that of Earth	$\mu = 0.012\,300\,02$
Lunar distance (mean)	$3.844\,01 \times 10^{10} \text{ cm}$
Astronomical unit	$\text{AU} = 1.495\,978\,70 \times 10^{13} \text{ cm}$
Mass of the Earth	$M_e = 5.976 \times 10^{27} \text{ g}$
Solar parallax	$\pi_\odot = 8''.794\,148$
Tropical year (1900.0)	365.242 days 3.1557×10^7 ephemeris seconds
Ephemeris day	86 400 ephemeris seconds
Constant of aberration (2000.0)	$K = 20''.495\,52$
Obliquity of the ecliptic (2000.0)	$\epsilon = 23^\circ 26' 21''.448$
General precession in longitude per Julian century (2000.0)	$p = 5029''.0966$
Constant of nutation (2000.0)	$N = 9''.2055$
Earth's magnetic dipole moment	$M_e = 8.02 \times 10^{22} \text{ Am}^2$
Angular rotation rate of Earth	$\Omega = 7.292\,115 \times 10^{-5} \text{ rad s}^{-1}$
Average depth of ocean	$H = 3800 \text{ m}$
Flattening of Earth	$1/f = 298.257$

Cosmological data

Hubble constant	$H_0 = (50-100) \text{ km s}^{-1} \text{ Mpc}^{-1}$ $= (1.6-3.2) \times 10^{-18} \text{ s}^{-1}$
Hubble time	$1/H_0 = (19.6-9.78) \times 10^9 \text{ y}$
Hubble distance	$R = c/H_0 = (6050-3025) \text{ Mpc}$
Critical density	$\rho_c = 3H_0^2/8\pi G$ $= (5-20) \times 10^{-30} \text{ g cm}^{-3}$
Volume	$\frac{4}{3}\pi R^3 = (9-1) \times 10^{17} \text{ Mpc}^3$
Smoothed density of galactic material throughout universe (Allen 1973)	$2 \times 10^{-31} \text{ g cm}^{-3}$ $1 \times 10^{-7} \text{ atom cm}^{-3}$ $3 \times 10^9 M_\odot \text{ Mpc}^{-3}$
Space density of galaxies	0.02 Mpc^{-3}
Luminous emission from galaxies	$3 \times 10^{46} L_\odot \text{ Mpc}^{-3}$
Mean sky brightness from galaxies	$1.4(b_v = 10) \text{ deg}^{-2}$
Cosmic background thermodynamic temperature	$2.74 \pm 0.09 \text{ K}$
Weak coupling constant	$g_{\text{wk}} = 1.435 \times 10^{-29} \text{ erg cm}^3$

Unit conversions

1 keV: $hc/E = 12.39854 \times 10^{-8} \text{ cm}$	1 keV = $1.602177 \times 10^{-9} \text{ erg}$
1 keV: $E/h = 2.417965 \times 10^{17} \text{ Hz}$	1 joule = 10^7 erg
1 keV: $E/k = 11.6048 \times 10^6 \text{ K}$	1 calorie = 4.184 joule
1.0 EHz: $h\nu = 4.13571 \text{ keV}$	
1 parsec = 3.261633 light years = $3.085678 \times 10^{18} \text{ cm}$	
1 light year = $9.460530 \times 10^{17} \text{ cm}$	
1 XU = $1.00209 \times 10^{-11} \text{ cm}$	
1 Angstrom = $1 \times 10^{-8} \text{ cm}$	
1 amu: $Mc^2 = 1.49241 \times 10^{-3} \text{ erg} = 931.494 \text{ MeV}$	
760 torr = $1.013 \times 10^9 \text{ dyn cm}^{-2} = 1 \text{ atmos.} = 1.013 \text{ bars} = 1.013 \times 10^5 \text{ Pascals}$	
1 Rayleigh $\equiv (1/4\pi) \times 10^6 \text{ photons cm}^{-2} \text{ s}^{-1} \text{ sr}^{-1}$	
11. lumet $\text{s}^{-1} = 1.7 \times 10^{11} \text{ erg cm}^{-2} \text{ s}^{-1}$ (2-6 keV)	
$= 2.4 \times 10^{11} \text{ erg cm}^{-2} \text{ s}^{-1}$ (2-10 keV)	
1 flux unit $\equiv 10^{-26} \text{ watt m}^{-2} \text{ Hz}^{-1} \equiv 1 \text{ Jansky}$	
1.0 $\mu\text{Jy} = 10^{-11} \text{ erg cm}^{-2} \text{ s}^{-1} \text{ EHz}^{-1}$	
$= 0.242 \times 10^{-11} \text{ erg cm}^{-2} \text{ s}^{-1} \text{ keV}^{-1} = 1.509 \times 10^{-7} \text{ keV cm}^{-2} \text{ s}^{-1} \text{ keV}^{-1}$	
1 curie: amount of material undergoing 3.7×10^{10} disintegrations s^{-1}	
1 nautical mile = 1852 m	
1 statute mile = 1609.344 m	
intensity ($\text{erg cm}^{-2} \text{ s}^{-1} \text{ Hz}^{-1}$) = $3.33 \times 10^{-16} \lambda^2(\text{\AA})$ intensity ($\text{erg cm}^{-2} \text{ s}^{-1} \text{ \AA}^{-1}$)	
1 barn = 10^{-28} cm^2	
1 tesla = 10^4 Gauss	
0 °C = 273.15 K	

Conversion tables

(A given amount of a physical quantity, expressed in the units of one system, is expressed as an equivalent number of units in another system.)

Quantity	Amount	Unit	Amount	Unit
LENGTH				
	1	meter (SI)	$1.000\ 001\text{E}-02$	centimeter (cgs)
	1	light year	$9.460\ 53\text{E}+15$	meter (SI)
	1	parsec	$3.085\ 68\text{E}+16$	meter (SI)
	1	Angstrom	$1.000\ 01\text{E}-10$	meter (SI)
	1	Angstrom	$1.000\ 01\text{E}-08$	centimeter (cgs)
	1	micron	$1.000\ 001\text{E}-06$	meter (SI)
	1	XU	$1.002\ 09\text{E}-13$	meter (SI)
	1	fermi	$1.000\ 001\text{E}-15$	meter (SI)
	1	nautical mile	$1.852\ 001\text{E}+03$	meter (SI)
	1	statute mile	$1.609\ 344\text{E}+03$	meter (SI)
	1	astron. unit (AU)	$1.495\ 981\text{E}+11$	meter (SI)
	1	solar radius	$6.959\ 901\text{E}+08$	meter (SI)
	1	centimeter (cgs)	$3.240\ 781\text{E}-19$	parsec
	1	centimeter (cgs)	$6.684\ 561\text{E}-14$	astron. unit (AU)
	1	meter (SI)	$3.240\ 781\text{E}-17$	parsec
	1	meter (SI)	$6.684\ 541\text{E}-12$	astron. unit (AU)
	1	inch (Eng)	$2.540\ 001\text{E}-02$	meter (SI)
MASS				
	1	kilogram (SI)	$1.000\ 001\text{E}-03$	gram (cgs)
	1	at. mass unit (amu)	$1.660\ 541\text{E}-24$	gram (cgs)
	1	at. mass unit (amu)	$1.660\ 541\text{E}-27$	kilogram (SI)
	1	solar mass	$1.989\ 101\text{E}+33$	gram (cgs)
	1	solar mass	$1.989\ 101\text{E}-30$	kilogram (SI)

1	gram (cgs) = 6.02214E - 23	at. mass unit (amu)
1	gram (cgs) = 5.027 40E - 34	solar mass
1	kilogram (SI) = 6.022 14E + 26	at. mass unit (amu)
1	kilogram (SI) = 5.027 40E - 31	solar mass
1	kilogram (SI) = 2.204 62E + 00	pound (avdp.)
1	kilogram (SI) = 3.527 40E + 01	ounce (avdp.)
1	pound (avdp.) = 4.535 92E - 01	kilogram (SI)
1	pound (avdp.) = 1.600 00E + 01	ounce (avdp.)
1	ounce (avdp.) = 2.834 95E + 01	gram (cgs)
1	gram (cgs) = 3.527 40E - 02	ounce (avdp.)
ENERGY		
1	joule (SI) = 1.000 00E + 07	erg (cgs)
1	joule (SI) = 6.241 51E + 18	electron volt (eV)
1	erg (cgs) = 1.000 00E - 07	joule (SI)
1	erg (cgs) = 6.241 51E + 11	electron volt
1	electron volt = 1.602 18E - 12	erg (cgs)
1	amu x c ² = 9.314 95E - 08	electron volt
1	gm (cgs) x c ² = 5.609 59E + 32	electron volt
1	calorie = 4.184 00E + 00	joule (SI)
FORCE		
1	newton (SI) = 1.000 00E + 05	dyne (cgs)
1	dyne (cgs) = 1.000 00E - 05	newton (SI)
PRESSURE		
1	pascal (SI) = 1.000 00E - 00	newton m ⁻² (SI)
1	bar = 1.000 00E - 06	Dyne cm ⁻² (cgs)
1	bar = 9.869 23E - 01	atmosphere
1	torr = 1.333 22E - 03	bar
POWER		
1	watt (SI) = 1.000 00E + 07	erg s ⁻¹ (cgs)
1	horsepower = 7.457 00E + 02	watt (SI)
1	Btus ((Eng) = 1.055 80E + 03	watt (SI)

Conversion tables (cont.)

Quantity	Amount	Unit	Amount	Unit
TIME				
	1	second (SI) - 1		second (cgst)
	1	minute = 6.000 00E - 01		second
	1	hour = 3.600 00E - 03		second
	1	day = 8.640 00E - 04		second
	1	tropical year = 3.155 69E - 07		second
	1	tropical year - 3.652 42E - 02		day
	1	second = 3.168 88E - 08		tropical year
	1	sideral second = 9.972 70E - 01		second
	1	sideral year = 3.652 56E - 02		day
TEMPERATURE				
	T	kelvin = T - 273.15		celsius
	T	kelvin = (9/5) / (T - 273.15) - 32		fahrenheit
	T	celsius = T + 273.15		kelvin
	T	fahrenheit = (5/9) × (T - 32) + 273.15		kelvin
	T	celsius = (9/5) × T + 32		fahrenheit
	T	fahrenheit = (5/9) × (T - 32)		celsius
Energy equivalence	1	electron volt: 1.601 48E - 04		kelvin
Temperature equivalence	1	kelvin: 8.617 12E - 05		electron volt
ELECTRICITY AND MAGNETISM				
Charge	1	coulomb - 2.997 92E + 09		statcoulomb
Charge density	1	coulomb m ⁻³ = 2.997 92E + 03		statcoul cm ⁻³
Current	1	ampere (coul s ⁻¹) = 2.997 92E + 09		statampere
Current density	1	ampere m ⁻² = 2.997 92E + 05		statamp cm ⁻²
Electric field	1	volt m ⁻¹ = 3.335 65E - 05		statvolt cm ⁻¹
Potential	1	volt = 3.335 65E - 03		statvolt

Resistance	ohm = 1.112 65E - 12	ohm ⁻¹
Resistivity	ohm m = 1.112 65E - 10	s
Conductance	siemens, mho = 8.987 52E - 11	ohm s ⁻¹
Conductivity	mho m ⁻¹ = 8.987 52E - 09	s ⁻¹
Capacitance	farad = 8.987 52E - 11	cm
Magnetic flux	weber = 1.000 00E - 08	gauss cm ² (maxwell)
Magnetic flux density	tesla = 1.000 00E - 04	gauss
Magnetic field	ampere-turn m ⁻¹ = 1.256 64E - 02	oersted
Inductance	henry = 1.112 65E - 12	s ² ohm ⁻¹
MISCELLANEOUS		
Radio-activity	curie (SI) = 3.700 00E - 10	disinteg. s ⁻¹
Intensity	rayleigh = 7.957 75E - 04	ph cm ⁻² s ⁻¹ sr ⁻¹
Flux density	fu or jansky = 1.000 00E - 26	watt m ⁻² Hz ⁻¹
Flux density	jansky = 1.000 00E - 05	erg cm ⁻² s ⁻¹ Hz ⁻¹
Flux density	jansky = 2.420 00E - 06	erg cm ⁻² s ⁻¹ keV ⁻¹
Flux density	jansky = 1.509 00E + 03	keV cm ⁻² s ⁻¹ keV ⁻¹
Energy equivalence	eV = 1.239 85E - 04	Angstrom
Energy equivalence	eV = 2.417 97E - 14	Hz
Wavelength equivalence	Angstrom = 1.219 85E + 04	eV
Angle	arcsec = 4.848 14E - 06	radian
Angle	arcmin = 2.908 88E - 04	radian
Angle	degree = 1.745 33E - 02	radian
Solid angle	arcsec ² = 2.350 40E - 11	steradian
Solid angle	arcmin ² = 8.461 70E - 08	steradian
Solid angle	deg ² = 3.046 20E - 04	steradian

Numerical constants

$\pi = 3.141\ 592\ 7$	rad = 57.295 78 deg
$e = 2.718\ 281\ 8$	$= 3.437\ 747 \times 10^3$ arcmin
$\ln 2 = 0.693\ 147\ 2$	$= 2.062\ 648 \times 10^2$ arcsec
$\log_{10} 2 = 0.301\ 030\ 0$	steradian = 32 400/n ² = 3.2828 × 10 ⁻⁴ deg ²
$\ln 10 = 2.302\ 585\ 1$	$= 1.1818 \times 10^7$ arcmin ²
$\log_{10} e = 0.434\ 294\ 5$	$= 4.2545 \times 10^{10}$ arcsec ²
$(2\pi)^{1/2} = 2.506\ 628$	degree = 0.017 453 3 rad
$\pi^2 = 9.869\ 604$	arcmin = 2.908 88 × 10 ⁻⁴ rad
$2^{10} = 1024$	arcsec = 4.848 137 × 10 ⁻⁵ rad
$e^{-2} = 0.135\ 335\ 3$	deg ² = 3.0462 × 10 ⁻¹ steradian
$\Gamma(n+1) = n!$, integer n	arcmin ² = 8.4617 × 10 ⁻⁸ steradian
$\Gamma(1/2) = \pi^{-1/2}$	arcsec ² = 2.3504 × 10 ⁻¹¹ steradian
Feigenbaum's number: $\delta = 4.669\ 201\ 6$	

n	Powers of 2:		Number system conversions:			
	2^n	$\log 2^n$	Decimal	Octal	Binary	Hexadecimal
0	1	0.00	0	0	0000	0
1	2	0.30	1	1	0001	1
2	4	0.60	2	2	0010	2
3	8	0.90	3	3	0011	3
4	16	1.20	4	4	0100	4
5	32	1.51	5	5	0101	5
6	64	1.81	6	6	0110	6
7	128	2.11	7	7	0111	7
8	256	2.41	8	10	1000	8
9	512	2.71	9	11	1001	9
10	1024	3.01	10	12	1010	A
11	2048	3.31	11	13	1011	B
12	4096	3.61	12	14	1100	C
13	8192	3.91	13	15	1101	D
14	16 384	4.21	14	16	1110	E
15	32 768	4.52	15	17	1111	F
20	1 048 576	6.02	16	20	10000	10
25	33 554 432	7.53				
n		0.301 n				

Mathematical formulae

$$(a + x)^n = a^n + na^{n-1}x + \frac{n(n-1)}{2!}a^{n-2}x^2 + \frac{n(n-1)(n-2)}{3!}a^{n-3}x^3 + \dots + na^{n-1}x^{n-1} + x^n,$$

where n is any positive integer.

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots$$

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + \dots \text{ for } -1 < x \leq 1.$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots,$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \dots$$

$$\int u \, dv = uv - \int v \, du + C,$$

$$\int_0^{\pi} \sin^2 nx \, dx = \int_0^{\pi} \cos^2 nx \, dx = \frac{\pi}{2}$$

for an integer, $n \neq 0$.

$$\int_0^{\infty} e^{-x^2} dx = \pi^{1/2}/2,$$

$$\int_0^{\infty} x^n e^{-ax} dx = \Gamma(n+1)/a^{n+1}.$$

$$F(u) = \int_{-\infty}^{\infty} f(x) e^{-2\pi iux} dx \leftrightarrow f(x) = \int_{-\infty}^{\infty} h(u) e^{2\pi iux} dx.$$

$$n! \approx (2\pi)^{1/2} n^{n+1/2} e^{-n} \text{ (for large } n).$$

$$\int_a^b f(x) dx = - \int_b^a f(x) dx,$$

$$\int_a^b f(x) dx = \int_a^c f(x) dx + \int_c^b f(x) dx.$$

$$\frac{d}{dx} f[v(x)] = \frac{df}{dv} \frac{dv}{dx},$$

$$\frac{d}{dx} [u(x)v(x)] = v \frac{du}{dx} + u \frac{dv}{dx}.$$

$$\frac{d}{dx} \ln f(x) = f'(x)/f(x).$$

$$2.30 \log_{10} x = \log_e x$$

$$\sin(A+B) = \sin A \cos B + \cos A \sin B.$$

$$\cos(A+B) = \cos A \cos B - \sin A \sin B.$$

$$e^{i\pi} = \cos \pi + i \sin \pi.$$

Elementary particles (short list)

Particle	Charge	Mass (amu)	Spin	Magnetic moment	Mean life ^(a) (s)
Photon	0	0	1	0	stable
π -meson	+1, -1	0.149 84	1	0	2.60×10^{-8}
	0	0.144 90	0	0	0.83×10^{-16}
Neutrino	0	$< 10^{-6}$	1/2	~ 0	stable
Electron, positron	-1, +1	0.000 548 6	1/2	$1.001 160 \mu_B^{(b)}$	stable
μ -meson	-1, +1	0.1134	1/2	$0.004 842 \mu_B$	2.20×10^{-6}
Proton	+1, -1	1.007 276	1/2	$2.792 85 \mu_N^{(c)}$	stable
Neutron	0	1.008 665	1/2	$-1.913 02 \mu_N$	917 - 14

^(a) half-life = mean life $\times \ln 2$

^(b) $\mu_B = eh/4\pi m_e c = 9.274 015 4(31) \times 10^{-24} \text{ J T}^{-1}$

^(c) $\mu_N = eh/4\pi m_p c = 5.050 736 6(17) \times 10^{-27} \text{ J T}^{-1}$

(Data from 'Reviews of Particle Properties', *Rev. Mod. Phys.* 52, No. 2, April 1980)

Elementary Particles

(The second column is the isospin t , while the next column is the spin and parity, J^P . Masses and lifetimes have generally been rounded; see the original reference for error bars and a complete listing of particle properties.)

Particle	t	J^P	Mass (MeV)	Mean life (s)
LEPTONS				
e		$\frac{1}{2}$	0.511 003	Stable
μ		$\frac{1}{2}$	105.6594	$2.197\ 14 \times 10^{-6}$
τ		$\frac{1}{2}$	1784	5×10^{-13}
NONSTRANGE BARYONS				
p	$\frac{1}{2}$	$\frac{1}{2}^-$	938.280	Stable
n	$\frac{1}{2}$	$\frac{1}{2}^-$	939.573	925
Δ	$\frac{3}{2}$	$\frac{3}{2}^-$	1232	6×10^{-24}
STRANGENESS = -1 BARYONS				
Λ	0	$\frac{1}{2}$	1115.60	2.63×10^{-10}
Σ^+	1	$\frac{1}{2}^-$	1189.36	8.00×10^{-11}
Σ^0	1	$\frac{1}{2}^-$	1192.46	6×10^{-20}
Σ^-	1	$\frac{1}{2}^-$	1197.34	1.48×10^{-10}
STRANGENESS = -2 BARYONS				
Ξ^0	$\frac{1}{2}$	$\frac{1}{2}^-$	1314.9	2.9×10^{-10}
Ξ^-	$\frac{1}{2}$	$\frac{1}{2}^-$	1321.3	1.64×10^{-10}
STRANGENESS = -3 BARYON				
Ω^-	0	$\frac{3}{2}^-$	1672.5	8.2×10^{-11}
NONSTRANGE CHARMED BARYON				
Λ_c^+	0	$\frac{1}{2}^-$	2282	1×10^{-13}
NONSTRANGE MESONS				
π^+	1	0^-	139.567	2.603×10^{-8}
π^0	1	0^-	134.963	8.3×10^{-17}
η	0	0^-	548.8	8×10^{-16}
ρ	1	1^-	769	4.3×10^{-24}
ω	0	1^-	782.6	6.6×10^{-23}
η'	0	0^-	957.6	2.4×10^{-21}
ϕ	0	1^-	1019.6	1.6×10^{-22}
J/Ψ	0	1^-	3096.9	1.0×10^{-20}
Υ		1	9456	1.6×10^{-20}
STRANGENESS = -1 MESONS				
K^+	$\frac{1}{2}$	0	493.67	1.237×10^{-8}
K^0, \bar{K}^0	$\frac{1}{2}$	0	497.7	$K_S^0: 8.92 \times 10^{-11}$ $K_L^0: 5.18 \times 10^{-9}$
CHARMED NONSTRANGE MESONS				
D	$\frac{1}{2}$	0^-	1869.4	9×10^{-12}
D^+, D^0	$\frac{1}{2}$	0^-	1864.7	5×10^{-13}
CHARMED STRANGE MESON				
F^+	0	0^-	2021	2×10^{-13}

(From Shapiro, S. L. & Teukolsky, S. A., *Black Holes, White Dwarfs, and Neutron Stars*, John Wiley and Sons, 1983, with permission.)

Energy conversions

1 erg	= 1 dyne-centimeter = 10^{-7} joule
1 joule	= 1 newton-meter
1 foot-pound	= 1.356 joule
1 calorie	= 4.184 joule
1 Btu	= 1.055×10^3 joule
1 horsepower-hour	= 2.6845×10^6 joule
1 kilowatt-hour	= 3.6×10^6 joule = 3.413×10^3 Btu
1 MeV	= 1.6×10^{-13} joule
Energy of fission of 1 atom of ^{235}U	= 199 MeV = 3.2×10^{-11} joule
Energy equivalent of 1 ton of TNT	= 4.2×10^9 joule
Energy of fission of 1 kilogram of ^{235}U	= 20 kilotons of TNT
Hydrogen fusion:	$D + T \rightarrow \text{He}^4 + n + 17.6 \text{ MeV}$
Energy equivalent of 1 gram of matter	= 9×10^{13} joule
High heat value of 1 ton of coal	= 26×10^6 Btu
High heat value of 1 cord of red oak	= 30×10^6 Btu
High heat value of 100 gallons of fuel oil	= 15×10^6 Btu
High heat value of 20 000 cu ft natural gas	= 20×10^6 Btu
US energy consumption	= 10^{20} joule yr^{-1} (proj. 1970–2000)
Earth's daily receipt of solar energy	= 1.49×10^{22} joule = 4.2×10^{12} Mwh
Earth's rotational energy	= 2.2×10^{29} joule
Earth's total heat content	= 3×10^{31} joule
1 D-cell flashlight battery	= 116 watt-s = 10^2 joule

Prefixes and symbols

(used with SI units to indicate decimal multiples and submultiples)

Multiples			Submultiples		
Factor	Prefix	Symbol	Factor	Prefix	Symbol
10^{18}	exa	E	10^{-1}	deci	d
10^{15}	peta	P	10^{-2}	centi	c
10^{12}	tera	T	10^{-3}	milli	m
10^9	giga	G	10^{-6}	micro	μ
10^6	mega	M	10^{-9}	nano	n
10^3	kilo	k	10^{-12}	pico	p
10^2	hecto	h	10^{-15}	femto	f
10	deca	da	10^{-18}	atto	a

Periodic table of the elements (cont.)

										VI 14	2	4.0026													
											He														
										III A	IV A	V A	VI A	VII A	VIII										
										5	6	7	8	9	10										
										B	C	N	O	F	Ne										
										BORON	CARBON	NITROGEN	OXYGEN	FLUORINE	NEON										
										13	14	15	16	17	18										
										Al	Si	P	S	Cl	Ar										
										ALUMINUM	SILICON	PHOSPHORUS	SULFUR	CHLORINE	ARGON										
I B	II B											I A	II A	III A	IV A	V A	VI A	VII A	VIII						
29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Cu	Zn	Ga	Ge	As	Se	Br	Kr	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
COPPER	ZINC	GALLIUM	GERMANIUM	ARSENIC	SELENIUM	BROMINE	KRYPTON	RUBIDIUM	STRONTIUM	YTIUM	ZIRCONIUM	NIOBIUM	MOLYBDENUM	TECHNETIUM	RHODIUM	PALLADIUM	SILVER	CADMIUM	INDIUM	TIN	ANTIMONY	TELLEURIUM	IODINE	XENON	
47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
Ag	Cd	In	Sn	Sb	Te	I	Xe	Cs	Ba	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf
SILVER	CADMIUM	INDIUM	TIN	ANTIMONY	TELLEURIUM	IODINE	XENON	CAESIUM	BARIUM	LANTHANUM	CELESIUM	PRASEODYMIUM	NEODYMIUM	PROMETHIUM	SAMARIUM	EUROPEUM	GADOLINIUM	TERBIUM	DYSPROSIUM	HOLOMIUM	ERBIUM	THULIUM	Ytterbium	LUTETIUM	HAFNIUM
79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104
Au	Hg	Tl	Pb	Bi	Po	At	Rn	Fr	Ra	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lw	Rf
GOLD	MERCURY	THALLIUM	LEAD	BISMUTH	POLONIUM	ASTATINE	RADON	FRANCIUM	RADIUM	ACTINIUM	THORIUM	PROTACTINIUM	URANIUM	NEPTUNIUM	PLUTONIUM	AMERICIUM	CURIUM	BERKELIUM	CALIFORNIUM	EINSTEINIUM	FERMIUM	MENDELIUM	NOBELIUM	ROSENBLUTHIUM	RUFORNIUM
65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn	Fr	Ra	Ac	
TERBIUM	DYSPROSIUM	HOLOMIUM	ERBIUM	THULIUM	Ytterbium	LUTETIUM	HAFNIUM	TANTALUM	WOLYBIUM	RHENIUM	OSMIUM	IRIDIUM	PLATINUM	GOLD	MERCURY	THALLIUM	LEAD	BISMUTH	POLONIUM	ASTATINE	RADON	FRANCIUM	RADIUM	ACTINIUM	
97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122
Bk	Cf	Es	Fm	Md	No	Lw	Rf	Db	Sg	Bh	Hs	Mt	Ds	Dt	Dz	Uu	Uub	Uuc	Uuq	Uur	Uus	Uut	Uuq	Uur	Uus
BERKELIUM	CALIFORNIUM	EINSTEINIUM	FERMIUM	MENDELIUM	NOBELIUM	ROSENBLUTHIUM	RUFORNIUM	DUBNIUM	SEBORGIIUM	BOHRIUM	HAWESIIUM	MOSCOVIUM	LIVERMORIIUM	TENNESSIUM	OGANESSIUM	KOPERNICIUM	NIBELIUM	FLEROVIUM	MOSCOVIUM	LIVERMORIIUM	TENNESSIUM	OGANESSIUM	KOPERNICIUM	NIBELIUM	FLEROVIUM

Greek alphabet

A α	Alpha	N ν	Nu
B β	Beta	Ξ ξ	Xi
Γ γ	Gamma	O \omicron	Omicron
Δ δ	Delta	Π π	Pi
E ϵ	Epsilon	Ρ ρ	Rho
Z ζ	Zeta	Σ σ	Sigma
H η	Eta	Τ τ	Tau
Θ θ	Theta	Υ υ	Upsilon
I ι	Iota	Φ ϕ	Phi
K κ	Kappa	Χ χ	Chi
Λ λ	Lambda	Ψ ψ	Psi
M μ	Mu	Ω ω	Omega

Bibliography

Reviews of Particle Properties, *Rev. Mod. Phys.*, **52**, 1980.

Handbook of Chemistry and Physics, Weast, R. C., ed., CRC Press, Inc.

Landolt-Börnstein: Zahlenwerte und Funktionen aus Physik, Chemie, Astronomie, Geophysik, und Technik, Springer-Verlag.

International Critical Tables of Numerical Data. Physics, Chemistry, and Technology, McGraw-Hill Book Company.

Chapter 2

Astronomy and astrophysics

The Solar System	25
<i>The Sun</i>	25
<i>Solar System elemental abundances</i>	30
<i>The planets (physical elements)</i>	31
<i>The planets (orbital elements)</i>	32
<i>Natural satellites in the Solar System</i>	33
<i>Short period comets</i>	36
<i>Principal meteor streams</i>	37
Stars	38
<i>Star charts</i>	38
<i>Constellations</i>	40
<i>The brightest stars</i>	44
<i>The 100 visually brightest stars</i>	45
<i>Stars within 5 pc</i>	50
<i>Nearest stars</i>	52
<i>Stars of large proper motion</i>	53
<i>The 21 fastest pulsars</i>	54
<i>Pulsars</i>	56
<i>Binary radio pulsars</i>	58
<i>OB associations</i>	59
<i>Orbital elements of binary stars</i>	61
<i>Classification of variable stars</i>	62
<i>Galactic supernova remnants</i>	64
<i>Henry Draper spectral classification</i>	64
<i>Spectral type and luminosity class</i>	65
<i>Hertzsprung–Russell diagram</i>	66
<i>Infrared and visible spectral features</i>	67
<i>The main sequence</i>	68

- [*read online The 1% and the Rest of Us: A Political Economy of Dominant Ownership.pdf*](#)
- [download online How to Be an Adult in Relationships: The Five Keys to Mindful Loving](#)
- [read online American Cultural Patterns: A Cross-Cultural Perspective](#)
- [**download online Ms. American Pie: Buttery Good Pie Recipes and Bold Tales from the American Gothic House**](#)

- <http://fortune-touko.com/library/Judas--The-Most-Hated-Name-in-History.pdf>
- <http://fortune-touko.com/library/How-to-Be-an-Adult-in-Relationships--The-Five-Keys-to-Mindful-Loving.pdf>
- <http://www.celebritychat.in/?ebooks/Ruling-the-Void--The-Hollowing-Out-of-Western-Democracy.pdf>
- <http://patrickvincitore.com/?ebooks/Ms--American-Pie--Buttery-Good-Pie-Recipes-and-Bold-Tales-from-the-American-Gothic-House.pdf>