



The Evolution of Matter

From the Big Bang to the Present Day

I. N. Tolstikhin and J. D. Kramers

CAMBRIDGE

CAMBRIDGE

www.cambridge.org/9780521866477

This page intentionally left blank

THE EVOLUTION OF MATTER

This book explains how matter in the Universe developed from the primordial production of light elements within minutes of the Big Bang, and from subsequent stellar processes that continue to create heavier elements at the expense of lighter ones. It also describes the evolution of interstellar matter and its differentiation during the accretion of the planets and the history of the Earth.

Much emphasis is placed on isotopic data. Variations in the stable isotope compositions of many elements help us to understand the underlying chemical and physical processes of differentiation. Radioactive isotopes, and their radiogenic daughter isotopes, allow the time and duration of numerous natural processes to be constrained. Unlike many books on geochemistry, this volume follows the chemical history of matter from the very beginning to the present, demonstrating connections in space and time. It provides solid links from cosmochemistry to the geochemistry of the Earth, in the context of astrophysical and planetary processes.

The book presents comprehensive descriptions of the various isotope systematics and fractionation processes occurring naturally in the Universe, using simple equations and helpful tables of data. With a glossary of terms and over 900 references, the text is accessible to readers from a variety of disciplines, whilst providing a guide to more detailed and advanced resources. This volume should prove to be a valuable reference for researchers and advanced students studying the chemical evolution of the Earth, the solar system and the wider Universe.

IGOR TOLSTIKHIN was awarded a Ph.D. in geochemistry from the St Petersburg Mining Institute in 1966 and a D.Sc. from the Vernadsky Institute, Moscow, in 1975. He is currently a Senior Research Scientist in the Space Research Institute and the Geological Institute at Kola Scientific Center, both of which are part of the Russian Academy of Sciences, where his research has encompassed noble gases, radiogenic isotope geochemistry, isotope hydrology and geochemical modelling. His more recent contributions include a chemical Earth model with a wholly convective mantle.

JAN KRAMERS was awarded a Ph.D. from the University of Berne in Switzerland in 1973 and went on to work in South Africa, the UK and Zimbabwe before returning to the University of Berne, where he is currently Professor of Geochemistry in the Institute of Geological Sciences. Professor Kramers' research interests include mantle geochemistry (kimberlites, diamonds), the origin of Archaean continental crust, global radiogenic isotope systematics, the early evolution of the Earth's atmosphere and, more recently, palaeoclimate research using the speleothem archive.

THE EVOLUTION OF MATTER

From the Big Bang to the Present Day Earth

IGOR TOLSTIKHIN

Kola Scientific Centre, Russian Academy of Sciences

JAN KRAMERS

Institute of Geological Sciences, University of Bern



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press

The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org

Information on this title: www.cambridge.org/9780521866477

© I. N. Tolstikhin and J. D. Kramers 2008

This publication is in copyright. Subject to statutory exception and to the provision of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published in print format 2008

ISBN-13 978-0-511-40891-5 eBook (EBL)

ISBN-13 978-0-521-86647-7 hardback

Cambridge University Press has no responsibility for the persistence or accuracy of urls for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

Contents

Introduction	<i>page</i> 1
Part I The elements	5
1 Isotopes: weights and abundances	7
1.1 Introduction: nuclei and their behaviour	7
1.2 Atomic nuclei and binding energy, with some predictions on isotope abundances	10
1.3 Summary	17
2 Introduction to the Universe: the baryonic matter	19
3 Element and isotope abundances: reference collection	24
3.1 Hydrogen and helium and their special significance	24
3.2 Metal-poor stars: the most ancient matter of the Galaxy	25
3.3 Presolar grains	26
3.4 The solar system element and isotope abundances	31
3.5 Summary	42
4 Cosmological nucleosynthesis: production of H and He	44
4.1 The expanding Universe and the Big Bang hypothesis	44
4.2 Big Bang nucleosynthesis (BBN)	44
4.3 The age of the Universe	46
4.4 Summary	49
5 Stellar nucleosynthesis: lower-mass stars and the s-process	52
5.1 Introduction	52
5.2 Formation of stars	52
5.3 Hydrogen and He burning and the evolution of a low-mass star	56
5.4 Slow nucleosynthesis (s-process)	59
5.5 Summary	67

6	Stellar nucleosynthesis: r- and associated processes	68
6.1	Introduction to rapid nucleosynthesis (r-process): what does “rapid” mean?	68
6.2	Evolution of massive stars	69
6.3	Core-collapse supernovae (SNe II) and rapid nucleosynthesis	70
6.4	SNe Ia: nucleosynthesis and luminosity	76
6.5	Summary	77
7	Timing of stellar nucleosynthesis	79
7.1	Cosmochronology from long-lived radioactive elements	79
7.2	The uranium isotopes: age and evolution of stellar nucleosynthesis	80
7.3	The age of stellar clusters: luminosity–temperature relationships	81
7.4	Summary	82
8	Chemical evolution of the Galaxy	83
8.1	Introduction: processes governing galactic chemical evolution	83
8.2	Milky Way evolution	84
8.3	The sources of short-lived radionuclides	91
8.4	Milky Way evolution: models and results	94
8.5	Summary	97
Part II	Early solar system: nebula formation, evolution and lifetime	99
9	Introduction to the solar nebula	101
10	The primary solar system objects and related processes	106
10.1	Solar nebula: initial composition and early development	106
10.2	Calcium–aluminium inclusions	108
10.3	An “absolute” age for the earliest solar system objects	117
10.4	Short-lived nuclides: further evidence for early CAI formation	120
10.5	Oxygen isotopes in nebula objects: the CAI array	128
10.6	CAI formation: concluding remarks	131
11	Chondritic meteorites	134
11.1	Introduction to chondritic meteorites: compositions and taxonomy	134
11.2	Chondrules and matrix	137
11.3	Metamorphism and equilibration in chondrites	142

11.4 Highly volatile elements: hydrogen, carbon and nitrogen	144
11.5 Highly volatile elements: noble gases	146
11.6 Chondritic meteorites: time scales	152
11.7 Chondritic meteorites: formation processes	158
11.8 Summary: chondritic meteorites and early evolution of the solar nebula	161
12 Highly processed meteorites	163
12.1 Introduction: non-chondritic meteorites and their relationships	163
12.2 Magmatic fractionation and trace-element partitioning	164
12.3 Major and trace elements in non-chondritic meteorites	168
12.4 The chronology of planetesimal processing	175
12.5 Formation of non-chondritic stony and iron meteorites: processes and time scales	186
12.6 Summary: late nebular processes as recorded by non-chondritic meteorites	189
13 A summary of early solar system chronology	191
Part III Accretion of the Earth	197
14 Introduction to the planetary system, Earth and Moon	199
14.1 The solar system: the planets and satellites	199
14.2 A first look at the post-accretion Earth and Moon	201
15 Introduction to planetary accretion	208
15.1 Orderly growth	208
15.2 Runaway growth	209
15.3 Planet formation	210
16 Earth accretion: the giant impact(s)	211
16.1 Giant impacts: impactor mass and energy deposited	211
16.2 The post-impact Earth model	212
17 The post-accretion silicate Earth: comparison with meteorites	214
17.1 Introduction: principal reservoirs of the post-accretion Earth	214
17.2 The silicate Earth: ways of reconstruction	215
17.3 Major elements	216
17.4 Trace elements	218
17.5 Concept of a terrestrial magma ocean: the role of convection	225
17.6 Summary	230

18	Core segregation	231
	18.1 Introduction: siderophile elements in the silicate mantle and light elements in the core	231
	18.2 Successful core-formation models	236
	18.3 Time constraints on terrestrial core segregation	240
19	Heavy “crust” on the top of the core	243
	19.1 Introduction: geochemical indicators for the occurrence of an early-formed apparently isolated reservoir	243
	19.2 Present-day status: the core–mantle transition zone	245
	19.3 Early formation of the core–mantle transition	246
	19.4 Summary: geochemical importance of the core–mantle transition zone	248
20	The early atmo-hydrosphere	250
	20.1 Introduction	250
	20.2 Noble-gas inventories and constraints on atmosphere evolution	251
	20.3 Mechanisms for the loss of volatile elements from the planetary atmospheres	258
	20.4 Major volatile species: inventories and sources	261
	20.5 Summary	266
21	Light from the Moon . . .	267
	21.1 Introduction	267
	21.2 Bulk composition and formation of the Moon	268
	21.3 Early lunar crust and mantle	271
	21.4 Early evolution of the lunar mantle and crust	281
	21.5 Summary	286
	Part IV Global evolution of the Earth	289
22	First look at the Earth	291
23	The plate-tectonic concept: some phenomenology	293
	23.1 Major geotectonic units: the plates	293
	23.2 Plate motions: processes on the plate boundaries	294
	23.3 Intraplate magmatism: plumes	297
	23.4 The moving forces of plate tectonics	298
	23.5 Summary: the major terrestrial factories reworking matter	300
24	Ocean-ridge and island magmatism	301
	24.1 Introduction to anhydrous mantle melting	301
	24.2 Tholeiitic basalts: major products of ocean-ridge magmatism	303
	24.3 Mid-ocean ridge magmatism: evidence from stable trace elements	305

24.4	Mid-ocean ridge magmatism: evidence from radioactive trace elements	310
24.5	Main features of a MORB melting model: evidence from trace elements and radioactive nuclides	314
24.6	Features specific to ocean-island basaltic magmatism	317
24.7	Summary	319
25	Subduction and island-arc magmatism	321
25.1	Introduction: subduction, associated processes and the crucial role of water	321
25.2	Major-element chemistry of arc magmatic rocks	323
25.3	Trace-element chemistry of primitive arc volcanics	324
25.4	Development of slab rocks during subduction: introduction to metamorphism	331
25.5	Metamorphism in the slab: fluid production and release	335
25.6	Melting of subducting slab: supercritical liquids	338
25.7	Melting in the mantle wedge	339
25.8	Summary	341
26	Composition of the continental crust: magmatic, metamorphic and sedimentary processes	344
26.1	Introduction: the continental crust	344
26.2	The upper continental crust: magmatic rocks	346
26.3	Sedimentary rocks and processes related to them	359
26.4	The lower continental crust: complement to the upper?	365
26.5	The crustal age distribution function	368
26.6	The mean composition of crustal reservoirs	371
26.7	Processes governing crustal mass and composition	372
26.8	Summary	380
27	Isotopic records of the evolution of Earth's accessible reservoirs	382
27.1	Introduction	382
27.2	The Lu–Hf, Sm–Nd, Rb–Sr and Th–U–Pb isotopic systematics of the mantle	385
27.3	Sources of OIB magmatism	391
27.4	Light rare gases in the mantle	394
27.5	Mantle xenology	399
27.6	Isotopes of Sr, Nd and Pb in the continental crust	403
27.7	Relationships between the Sm–Nd and Lu–Hf isotope families	409
27.8	Isotopic traces from earliest Earth history and evolutionary trends	413
27.9	Evolutionary trends recorded by sedimentary rocks	418
27.10	Summary	425

28	Geochemical Earth model	427
	28.1 Introduction to geochemical modelling	427
	28.2 Multireservoir Earth model	428
	28.3 Results: isotope geochemical constraints on Earth's evolution	432
	28.4 Summary	440
	<i>References</i>	442
	<i>Glossary</i>	489
	<i>Abbreviations</i>	507
	<i>Meteorites, rocks and minerals</i>	510
	<i>Index</i>	517

Introduction

This book is a cross between a textbook and a monograph, and it was started as an attempt to link depth with breadth in cosmo- and geochemistry. The need for this becomes obvious when one sees the two opposing trends in this science. On the one hand, much excellent research goes into great depth in a relatively narrow field, unnoticed except by specialists and, on the other hand, wide-ranging textbooks capture the imagination of a broader audience but cannot do justice to the actual data-gathering and interpretation. Thus, if one is interested in cosmochemistry, or the solar system or planetary formation and evolution, one can readily find a number of specific, well-written, textbooks. However, those who want to examine critically how these issues are related, and who would like to see the “big picture” and realize how it came to be, have to dive into the often rather complicated original literature.

As is the case with most branches of science, cosmochemistry and geochemistry have made huge leaps forward in the last 20 years but have become more fragmented. A bewildering amount of isotopic evidence has amassed that links Earth’s history to that of the early solar system and, in turn, early solar system history to the evolution of the Galaxy and of the Universe itself. The many papers in which these data have appeared necessarily address specialized issues and although the connection to a grand unifying theme is normally made clear, there is mostly no direct contact with other specialized work that relates to the theme from another niche. This means that possible contradictions, but also cases where different angles of research have strengthened the results, may go unnoticed.

This fragmentation is not necessary, and we have felt that a “history book” describing how matter could have evolved from primordial nucleosynthesis through stellar processes, the formation of a solar nebula and planetary evolution could actually present and discuss large amounts of original data without becoming fragmented and losing sight of the big picture itself.

In pursuing this aim, we have placed much emphasis on isotope data. One reason for this is that relative isotope abundances are fingerprints of the processes in

which isotopes were produced or their ratios modified. Isotope compositions of some elements serve as “stellar-thermometers” or “stellar-dosimeters” highlighting intimate features of the birth of the elements. In many cases the relationships between parent and daughter isotopes allow the time of events to be constrained, which is of prime importance if the subject is evolution. On the other hand, in most cases isotope abundance ratios have been much less disturbed than element abundances. They are therefore robust tracers of the early events that set their values. In cases where isotope abundance ratios are fractionated, their behaviour follows simple laws of nature and the resulting variations of isotope compositions help us to understand the underlying chemical and physical processes.

Another reason is that there is simply a very large amount of high-quality isotope data in the literature that combines to tell fascinating and convincing stories but is not sufficiently taken note of in textbooks. The reason for this may be that isotope-ratio interpretation is considered to be difficult and to require involved arguments. This is, however, mostly not the case. Precisely because of their lack of chemical fractionation, isotope data are the easiest geochemical results to interpret. This is why we have chosen a mainly (but not exclusively) isotopic perspective for this book.

This book is aimed at a varied readership: lecturers preparing courses for advanced undergraduate classes; graduate students; young scientists (in any branch of cosmo- or geochemistry) requiring a background in global geochemistry, particularly in its isotopic aspects; and a broader audience interested in examining the basis for our knowledge of the matter from which the Earth was built and how it formed and evolved. The book does not require a specialized knowledge of astrophysics, geology, geochemistry or isotopes: a general science background is probably enough. We have attempted to provide a coherent picture of the history of matter through time, as seen from the perspective of first astrophysics, then solar system origin and early history, including the formation of the Earth and Moon, and finally through geological time on Earth. In this effort at a continuum, we have tried to show at all stages in Earth’s evolution how the particular chemical budget, or setup, that we live in, came about. Subjects that are not dealt with, as they are very well covered in many current textbooks, are the question of the origin of life or when this happened, the evolution of life, biogeochemistry and present-day environmental developments.

The book consists of four parts. Broadly, Part I deals with the principles of nucleosynthesis, the evolution of stars and episodes in which they are particularly nucleosynthetically active and the manner in which matter is conserved in interstellar space so that it can be inherited by nascent stars and solar systems. Isotopes play a large part here, first as actors and products in nucleosynthetic processes (so that their abundance ratios act as stellar thermometers and flux indicators), then (in

the case of short-lived radioactive isotopes) as the illuminators of clouds of supernova ejecta, providing information on their nucleosynthetic processes and finally (in the case of long-lived radioactive isotopes) as clocks for the time scale of nucleosynthesis. Stellar processes also provide an interesting and unusual perspective for isotope geochemists and cosmochemists in that most decay “constants” are not constant in stellar environments. Light-stable-isotope variations in presolar grains are also covered in this chapter, as these data provide an important foundation for improved models of the nucleosynthetic processes that produced them.

In Part II the early evolution of the solar system from a disk of gas and dust to planetesimals such as chondrite and achondrite parent bodies, via coagulation, evaporation, recondensation and melting processes, is described using the available data and by modelling. In this part of the book the systematics of stable-isotope fractionation and their relevance to sources of matter and early solar system processes are described. Further, chronological techniques using both the long-lived decay systems (such as U–Pb) yielding absolute ages and the short-lived decay systems (such as Al–Mg), yielding precise relative time spans are dealt with in as much detail as is necessary. The incredibly well-constrained time scale of processes in the first 10 million years of the solar system and some minor contradictions in it are discussed.

Part III of the book concerns planetary accretion. This is first described in general terms and then specifically applied to the Earth–Moon system. The processes associated with planetary accretion, such as core formation, and the apparent paradoxes of the siderophile-element concentrations are considered together with the time scale derived from Hf–W isotope systematics. Also included are the results of new modelling of the core-formation process and the concept of a deep-seated reservoir in the Earth from which primitive noble gases still emanate today. The formation of the Moon by a giant impact is discussed along with the contrast between the ensuing terrestrial mantle-wide magma ocean, which apparently did not fractionate silicates, and the lunar magma ocean, which did. Lunar geochemical and isotope data are tied in with the terrestrial data to provide a consistent picture of the earliest history of our planet. A discussion of the constraints on the earliest atmosphere and its extensive loss is also included. This draws mainly on noble-gas abundance data, including radiogenic and fissionogenic Xe, but also considers the major atmospheric components.

In Part IV, the present-day Earth dynamics and geochemistry are reviewed, as well as the available isotopic and geochemical data base that constitutes “hard data” on the Earth’s history. These include, for instance, Hf-isotope data on the oldest terrestrial (detrital) zircons and their interpretation. Present-day data yield important mass-balance considerations relating to mantle dynamics, and the total data set provides constraints for models of the geochemical evolution of the Earth’s

crust and mantle, which are described in some detail. One important question here is whether the mantle convects as a whole entity or in two layers, and another concerns the growth of the amount of continental crust and its partial recycling into the mantle through geological time. In setting up and discussing such models it is a great advantage to have the conclusions of the previous chapters immediately to hand, as these determine the initial geochemical and isotope compositions for the Earth. Further, it is a requirement for successful scenarios to satisfy the principal geochemical and isotope constraints (the Rb–Sr, Sm–Nd, Lu–Hf, U–Th–Pb and K–Ar systematics and the noble-gase abundances); one cannot be eclectic. The interaction of the different reservoirs of planet Earth with one another appears to be essential in all successful models.

Finally a world picture emerges that, in terms of chemistry and isotope compositions, traces its roots back to the very origins of the Universe. In this picture the major processes are mapped out with reasonable confidence but major problems are also highlighted.

We have made frequent use of equations in the text to illustrate points quantitatively. Equations have the advantage of not being vague. However, they usually need explaining and we have padded them in text to cover sharp edges. Systematics such as trace-element partitioning, radiogenic-isotope chronology and geochemistry and stable-isotope fractionation are explained in dedicated sections that are slotted in where they are first needed in the narrative; they are thus distributed over the book but are referred to where necessary and can be readily located using the table of contents.

Further, a comprehensive glossary is included. We have tried to avoid creating new abbreviations; it may be that “SOS” for the solar system is our only invention (which perhaps reflects our concern about what is going on with Nature). Overall we have used those abbreviations that are very frequent in the literature, such as the “H–R diagram” with “RGB and AGB stars” in it and “MORBs and OIBs” for astrophysicists and geologists respectively. Such abbreviations are explained in an appendix. There is also a list of rock and mineral names used in the text as well as a list of meteorite names and a glossary.

We are grateful for help and financial support from the International Space Science Institute in Bern, the Max Planck Institute for Chemistry in Mainz and Clare Hall College at the University of Cambridge. We thank A. W. Hofmann, R. K. O’Nions, B. Polyak, A. Sobolev, Yu. Kostitsyn, Yu. Pushkarev, V. Vetrin, V. Balagansky and U. Ott for lively discussions, V. and R. Vetrin for technical support, Yu. Kostitsyn for two figures and A. Zimmer for library support.

Finally we thank Elena and Elaine for their great patience and for keeping our feet on the ground.

Part I

The elements

In this part of the book the processes of nucleosynthesis and the environments in which they are occurring, and have occurred are sketched out.

To understand the principles of nucleosynthesis, it is important to appreciate the factors that determine the relative stability of different nuclides, and this subject is treated in Chapter 1. The grand scene is introduced in Chapter 2, without too much detail. Chapter 3 deals with data and observations concerning the chemical and isotopic composition of stars, galaxies and the solar system. This follows a broad chronological order, starting with the D/H and He/H ratios that lend support to the hypothesis of Big Bang nucleosynthesis, following through with the most primitive stellar matter and heterogeneities in presolar grains and then focussing on the composition of the solar system. Models and explanations of these data are contained in Chapters 4 to 8, which relate the data to results derived from astrophysical modelling. This helps us to understand first how the chemical elements were and are produced and second how they were scattered in space, to be incorporated in stars and solar systems that formed later.

1


Isotopes: weights and abundances

1.1 Introduction: nuclei and their behaviour


Atoms are the smallest units of matter that characterize a chemical element. An atom consists of a positively charged core or nucleus and negatively charged electrons orbiting around the core. In nuclear physics, a host of different particles is known to make up atomic cores, but for the purpose of cosmochemistry and geochemistry the simplified model suffices, in which we consider just two kinds of nuclear particles (nucleons): positively charged protons, p , and neutral neutrons, n . For a neutral atom the number of protons in the core, Z (the atomic number), is equal to the number of electrons around it. As Z determines the electron configuration and therefore the chemical behaviour, a family of atoms of equal Z constitutes a chemical element. Such a family generally includes nuclei with a varying number of neutrons, N . The atomic mass number $A = Z + N$, the total number of nucleons, then varies accordingly. Atoms of an element that have different values of N (and therefore A) are called isotopes, a term with Greek roots indicating that these different nuclides occupy the same position in the periodic table. The lightest element, hydrogen, includes three isotopes, ^1H , ^2H (D) and ^3H , having 0, 1 and 2 neutrons in the core, respectively. Most elements consist of a larger number of isotopes; therefore the approximately 100 currently known elements include approximately 1000 isotopes.

Many isotopes exist indefinitely, at least in normal conditions, and these are known as stable isotopes, S . The nuclei of the great majority of isotopes are, however, not stable and can spontaneously decay, i.e. turn into other nuclei, by emitting or absorbing a particle as summarized in Fig. 1.1. These decaying isotopes are termed radioactive or parent isotopes, $^{\text{r}}R$, and the decay products are radiogenic or daughter isotopes, $^{\text{r}}D$. Generally after decay an excited daughter nucleus “cools down”, emitting γ -rays (high-frequency electromagnetic radiation). Each radioactive isotope species has its own specific rate of decay, λ , known as the


BETA DECAY





BETA DECAY and ELECTRON CAPTURE (K-decay)



ALPHA DECAY



SPONTANEOUS FISSION



decay constant; if R is the number of radioactive atoms then the decay is described by

$$dR/dt = -\lambda R. \quad (1.1)$$

The solution of Eqn (1.1) gives

$$R = R_0 e^{-\lambda t} \equiv R_0 \exp(-\lambda t), \quad (1.2)$$

where t is the time elapsed since some time t_0 in the past and $R_0 \equiv R(t_0)$. Commonly, the decay is also characterized by the time interval τ during which the number of atoms R decreases by a factor 2; this is the half-life of the isotope. As $R(\tau) = R_0/2$, the relation between the decay constant and the half-life τ of a radioactive nuclide is $\tau \equiv \ln 2/\lambda$. The mean life of a radioactive isotope is $1/\lambda = \tau \ln 2$. Some radioactive isotopes decay by more than one mechanism, producing different daughter nuclides; for example ^{40}K can decay into ^{40}Ca (with corresponding λ_{Ca}) or into ^{40}Ar (λ_{Ar}), so that the total decay rate is $\lambda_{40} \equiv \lambda_{\text{Ca}} + \lambda_{\text{Ar}}$ and the number of $^{40}\text{Ar}^*$ atoms generated by ^{40}K decay during time t equals $(\lambda_{\text{Ar}}/\lambda_{40}) ^{40}\text{K} \exp(-\lambda_{40}t)$. In some cases decay competes with nuclear reactions (Section 5.4). The general term for such situations is branching.

It should be noted that the term “decay constant” does not apply to stellar environments, where β -decay rates can vary by orders of magnitude owing to the extreme temperatures and pressures. These variations, when known, shed light on nucleosynthetic processes (see for example Section 5.4). For planetary conditions λ values are constant, with some rare exceptions; for instance, the λ_3 value for ^3H β -decay is measurably dependent on the chemical state of hydrogen (Akulov and Mamyrin, 2004) and the value for ^7Be increases with pressure, by about 1% at 40 GPa (Liu and Huh, 2000).

Fig. 1.1 Radioactive decay and fission.

Top left, β -decay: a neutron n in the nuclei of carbon-14 decays to a proton p^+ and electron e^- , which is then emitted leaving behind nitrogen-14.

Top right, e-capture: a proton in the nucleus of ^{40}K captures an electron from the innermost orbit to produce a neutron and the nucleus of ^{40}Ar . Potassium-40 nuclei also decay via β -emission. Middle, α -decay: a nucleus of the heavy radioactive element ^{238}U emits an α -particle consisting of two protons and two neutrons; the resulting isotope is ^{234}Th . Bottom, nuclear fission: the nucleus of ^{238}U disintegrates into two fragments (generally the mass ratio is $\sim 1/2$) and emits two to three neutrons. As the fragments initially have too many neutrons relative to protons (for the given mass range), β -decay occurs until the “stability valley” (Fig. 1.3) is reached. When short-lived heavy isotopes ($A \sim 260$) exhibit fission, the fragment mass ratio approaches 1.

Nuclei can be modified not only by spontaneous decay but also by nucleus–particle (or nucleus– γ) interactions known as nuclear reactions. These can be destructive (breaking nuclei up) or constructive (building heavier nuclei). The interaction of nuclei with other nuclei or with protons is impossible at low temperatures, as both are positively charged. However, at $T \sim 10^7$ K or higher temperatures, this “Coulomb barrier” can be overcome: nuclei can collide and fuse, which is the basis for the existence of all nuclides other than the proton, ${}^1\text{H}$.

Neutrons can easily penetrate nuclei even at low temperatures. For instance,¹ neutron capture by ${}^{56}\text{Fe}(n, \gamma){}^{57}\text{Fe}$ and ${}^{57}\text{Fe}(n, \gamma){}^{58}\text{Fe}$ gives rise to heavier iron isotopes. Further n-capture, ${}^{58}\text{Fe}(n, \gamma){}^{59}\text{Fe}$, followed by β -decay yields the next element, cobalt: ${}^{59}\text{Fe} \rightarrow \beta^- \rightarrow {}^{59}\text{Co}$. Such n-capture and associated β -decay has produced all the elements beyond Fe. These are therefore called n-capture elements. An example of a destructive nuclear reaction is the nuclear fission of ${}^{235}\text{U}$: after neutron capture, ${}^{235}\text{U}$ disintegrates into two heavy fragments with different masses and a few neutrons (Fig. 1.1). Its heaviest brother, ${}^{238}\text{U}$, exhibits spontaneous fission in addition to α -decay, but with a much lower probability. Another important example is ${}^6\text{Li}(n, \alpha){}^3\text{H}$: this reaction produces radioactive ${}^3\text{H}$ (tritium), which β -decays into daughter ${}^3\text{He}$.

Investigations of the heaviest nuclei have shown that the heavier a nucleus is, the higher the probability that it will disintegrate via fission. Extrapolation of the relationships between Z, A and the fission rate suggests a limit of $Z \sim 120, A \sim 310$ for possible nuclei. Thus, the full range of the elements extends from hydrogen (1 amu) to an, as yet unknown, superheavy element (~ 300 amu).

1.2 Atomic nuclei and binding energy, with some predictions on isotope abundances

Mass, energy and binding energy

The atomic nuclei are quite small: the radius r_A of a nucleus with atomic mass number A is about $1.4 \times 10^{-13} A^{1/3}$ cm. Thus, for the heaviest possible nuclides, $r_A \sim 10^{-12}$ cm. The shape of atomic nuclei varies between spheroidal and ellipsoidal. The whole atom, i.e. the nucleus plus the electronic cloud, is a factor $\sim 10^5$ larger. For example, the radius of the first electronic orbit of the hydrogen atom is 0.53×10^{-8} cm. However, the nucleus makes up almost all the mass of an atom. Generally this mass is measured in so-called atomic mass units, defined as 1/12 of the mass of the neutral isotope ${}^{12}\text{C}$; i.e. $1 \text{ amu} \equiv 1.660\,53 \times 10^{-24}$ g. Thus the mass of an atom in amu is numerically $\approx A$, the atomic mass number. The precise masses of the proton, $M_p = 1.007\,282\,6$ amu, and neutron, $M_n = 1.008\,671\,3$ amu, are larger

¹ The following notation abbreviates ${}^{56}\text{Fe} + n \rightarrow {}^{57}\text{Fe} + \gamma$ etc.

by a factor of about 2×10^3 than the mass of the electron, $m_e = 0.000\,548\,58$ amu. The nuclear masses and radii (e.g. $238 \times 1.66 \times 10^{-24}$ g corresponds to $\sim 10^{-12}$ cm) allow the density of nuclear matter to be estimated at $\sim 10^{14}$ g cm $^{-3}$.

High-resolution mass spectrometry allows the isotope masses $M(A, Z)$ to be obtained precisely. These masses are without exception smaller than the sum of the masses of the constituent particles, protons + neutrons + electrons:

$$[Zm_p + (A - Z)M_n + ZM_e] - M(A, Z) = \Delta M > 0. \quad (1.3)$$

Note that the measured $M(A, Z)$ also includes Zm_e , so that ΔM is the difference in nuclear mass. From this, the binding energy of nuclei can be calculated. According to the Einstein relationship,

$$E = Mc^2 \quad (1.4)$$

where E is the energy in ergs; $c = 3 \times 10^{10}$ cm s $^{-1}$ is the light velocity in vacuum and M is the relativistic mass in g: $M = M_0/\sqrt{1 - (v/c)^2}$, where M_0 is the rest mass and v is the velocity of the body. One atomic mass unit is thus equivalent by (1.4) to the energy 1.49×10^{-3} erg or 0.932×10^9 eV = 932 MeV (1 MeV $\equiv 1.60 \times 10^{-6}$ erg). Substituting ΔM from Eqn (1.3) into Eqn (1.4) gives the total binding energy ΔW of a nucleus,

$$\Delta W = \Delta Mc^2, \quad (1.5)$$

and the binding energy per nucleon for that nucleus,

$$\varepsilon = \Delta W/A. \quad (1.6)$$

A comparison of the mass of deuterium, 2.014 74 amu, with the total mass of its constituent proton and neutron, 2.017 12 amu, gives $\Delta M = 0.0024$ amu, $\Delta W = 2.2$ MeV and $\varepsilon = 1.1$ MeV nucleon $^{-1}$. This is the energy yield from deuterium nucleosynthesis. Conversely, a neutron is heavier than a proton by about 1 MeV and readily decays, when in isolation, producing a proton, electron and neutrino. A similar estimate for the ${}^4\text{He}$ nucleus gives $\Delta W = 28$ MeV and $\varepsilon = 7$ MeV nucleon $^{-1}$.

It is instructive to compare nuclear energy values with those for chemical interactions, say, that required to separate an electron from a hydrogen atom. The total energy of an electron having a charge $e = -1.6 \times 10^{-19}$ C and orbiting the nucleus at a distance $r = 0.53 \times 10^{-8}$ cm is the sum of its kinetic and potential energies:

$$E = \frac{mv^2}{2} - \frac{e^2}{4\pi\epsilon r} = \frac{-e^2}{8\pi\epsilon r},$$

where ϵ , the permittivity of free space, equals $8.85 \times 10^{21} \text{ C}^2\text{g}^{-1}\text{cm}^{-3}\text{s}^2$. Substituting values we obtain

$$\begin{aligned} E &= \frac{-(1.6 \times 10^{-19})^2}{2 \times 4\pi \times 8.85 \times 10^{21} \times 0.53 \times 10^{-8}} \\ &= -2.17 \times 10^{-11} \text{ erg} = -13.6 \text{ eV} \end{aligned} \quad (1.7)$$

which is a factor 10^5 to 10^6 less than the binding energy of an atomic nucleus. This comparison illustrates how powerful nuclear energy is.

Nuclear forces originate from the interactions of a number of elementary particles, the characterization of which is beyond the scope of this book. Instead, the discussions below are based simply on the observed atomic masses, and we will show that even this simple approach leads to several far-reaching inferences about nuclide-producing processes and the abundances of isotopes and elements.

Relationships between binding energy and atomic mass

Figure 1.2 shows a sharp increase in ϵ with nuclear mass at lower masses, approaching $\epsilon \approx 8.8 \text{ MeV nucleon}^{-1}$ for the iron-peak elements at $A \sim 50$ to 60 . This is followed by a smooth decrease to $7.4 \text{ MeV nucleon}^{-1}$ for heavier nuclei, $60 < A < 209$; $A = 209$ is the atomic mass number of the heaviest stable isotope, ^{209}Bi . The cause of this important feature is that the forces holding nuclei together work on a very short distance and a nucleon does not interact with all others in the nucleus, especially when A becomes large, around 60 . The Coulomb forces, however, work over longer distances and they increase with the total charge of the nucleus. For nuclei to be stable, it is required that the Coulomb repulsion between protons be less than the nucleon attraction. For example, for two protons at a distance similar to the size of the ^4He nucleus ($A = 4$), $r \approx 1.4 \times 10^{-13} A^{1/3} \approx 2 \times 10^{-13} \text{ cm}$, the potential energy due to Coulomb repulsion is

$$E_p = \frac{e^2}{4\pi\epsilon r} \approx \frac{(1.6 \times 10^{-19})^2}{4\pi \times 8.85 \times 10^{21} \times 2 \times 10^{-13}} \approx 1 \text{ MeV}. \quad (1.8)$$

This is much less than the binding energy per nucleon for ^4He . In contrast, the Coulomb interaction within a heavy nucleus, for example $E_p \approx 5 \text{ MeV}$ for $A \approx 200$, is comparable with ϵ . In heavier elements, the stability of the nucleus is achieved by neutron–proton ratios > 1 (Fig. 1.3). Thereby the distance between protons is increased and the destructive tendency caused by the Coulomb forces is diminished.

An important consequence of the hump-like shape of the binding energy per nucleon curve is that the generation of elements with $A \leq 60$ from lighter ones produces energy, whereas production of those with $A > 60$ requires an energy input.

- [read *Confederates in the Attic: Dispatches from the Unfinished Civil War*](#)
- [Tracing the Discourses of Terrorism: Identity, Genealogy and State pdf, azw \(kindle\)](#)
- [Tough Choices: A Memoir pdf, azw \(kindle\), epub, doc, mobi](#)
- [Chinatown Gangs: Extortion, Enterprise, and Ethnicity \(Studies in Crime and Public Policy\) book](#)

- <http://paulczajak.com/?library/Decline-and-Fall--Penguin-Modern-Classics-.pdf>
- <http://paulczajak.com/?library/The-End-of-Materialism--How-Evidence-of-the-Paranormal-Is-Bringing-Science-and-Spirit-Together.pdf>
- <http://www.experienceolvera.co.uk/library/Tough-Choices--A-Memoir.pdf>
- <http://jaythebody.com/freebooks/Chinatown-Gangs--Extortion--Enterprise--and-Ethnicity--Studies-in-Crime-and-Public-Policy-.pdf>