
Vegetable Oils in Food Technology

Composition, Properties and Uses

Second Edition

Edited by

Frank D. Gunstone

 **WILEY-BLACKWELL**

A John Wiley & Sons, Ltd., Publication

This edition first published 2011 © 2011 by Blackwell Publishing Ltd.

Blackwell Publishing was acquired by John Wiley & Sons in February 2007. Blackwell's publishing program has been merged with Wiley's global Scientific, Technical and Medical business to form Wiley-Blackwell.

Registered Office

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial Offices

9600 Garsington Road, Oxford, OX4 2DQ, UK

The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

2121 State Avenue, Ames, Iowa 50014-8300, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the authors to be identified as the authors of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book. This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data

Vegetable oils in food technology : composition, properties and uses / edited by Frank D. Gunstone. – 2nd ed. p. cm.

Includes bibliographical references and index.

ISBN 978-1-4443-3268-1 (hardcover : alk. paper) 1. Vegetable oils. 2. Food industry and trade.

I. Gunstone, Frank D.

TP680.V44 2011

664'.3–dc22

2010041148

A catalogue record for this book is available from the British Library.

This book is published in the following electronic formats: ePDF 9781444339901; Wiley Online Library 9781444339925; ePub 9781444339918

Set in 10/12pt Times by SPi Publisher Services, Pondicherry, India

Contents

<i>Preface to the First Edition</i>	xi
<i>Preface to the Second Edition</i>	xii
<i>Contributors</i>	xiii
<i>List of Abbreviations</i>	xv
1 Production and Trade of Vegetable Oils	1
Frank D. Gunstone	
1.1 Extraction, refining and processing	1
1.2 Vegetable oils: Production, consumption and trade	3
1.2.1 Nine vegetable oils	3
1.2.2 Palm oil	8
1.2.3 Soybean oil	8
1.2.4 Rapeseed/canola oil	10
1.2.5 Sunflowerseed oil	11
1.2.6 Groundnut (peanut) oil	12
1.2.7 Cottonseed oil	12
1.2.8 Coconut oil	12
1.2.9 Palmkernel oil	13
1.2.10 Olive oil	13
1.2.11 Corn oil	14
1.2.12 Sesame oil	14
1.2.13 Linseed oil	14
1.3 Some topical issues	14
1.3.1 Imports into China and India	14
1.3.2 Trade in oilseeds and in vegetable oils	15
1.3.3 Food and non-food use of vegetable oils	15
1.3.4 Prices	16
1.3.5 The food–fuel debate	19
1.3.6 Predictions for future supply and demand	21
1.3.7 Sustainability	22
1.3.8 Genetic modification	23
References	24
2 Palm Oil	25
Siew Wai Lin	
2.1 Introduction	25
2.2 Composition and properties of palm oil and fractions	25

2.2.1	Palm oil	25
2.2.2	Palm olein	29
2.2.3	Palm stearin	31
2.3	Physical characteristics of palm oil products	33
2.3.1	Palm oil	33
2.3.2	Palm olein	34
2.3.3	Palm stearin	34
2.4	Minor components of palm oil products	35
2.4.1	Carotenes	36
2.4.2	Tocopherols and tocotrienols (tocols)	40
2.4.3	Sterols, squalene and other hydrocarbons	41
2.5	Food applications of palm oil products	42
2.5.1	Cooking/frying oil	42
2.5.2	Margarines	44
2.5.3	Shortenings	47
2.5.4	Vanaspati	49
2.5.5	Cocoa butter equivalents (CBE)	51
2.5.6	Other uses	52
2.6	Nutritional aspects of palm oil	52
2.7	Sustainable palm oil	53
2.8	Conclusions	53
	References	54
3	Soybean Oil	59
	Tong Wang	
3.1	Introduction	59
3.2	Composition of soybean and soybean oil	59
3.2.1	Seed composition	59
3.2.2	Oil composition	59
3.2.3	Fatty acid composition	61
3.2.4	Minor components	63
3.3	Recovery and refining of soybean oil	65
3.3.1	Oil extraction	65
3.3.2	Oil refining	67
3.3.3	Modified non-alkaline refining	71
3.3.4	Co-products from oil refining	73
3.3.5	Fatty acid esters of glycidol and 3-monochloro-1,2-propanediol as processing contaminants	77
3.4	Oil composition modification by processing and biotechnology	79
3.4.1	Hydrogenation	79
3.4.2	Interesterification	80
3.4.3	Crystallization and fractionation	83
3.4.4	Traditional plant breeding and genetic modification	83
3.4.5	Oxidative and sensory properties of low-linolenic acid soybean oil to replace <i>trans</i> frying oil	85
3.5	Physical properties of soybean oil	87
3.5.1	Polymorphism	87

3.5.2	Density	88
3.5.3	Viscosity	88
3.5.4	Refractive index	89
3.5.5	Specific heat	89
3.5.6	Melting point	90
3.5.7	Heat of combustion	90
3.5.8	Smoke, flash, and fire points	90
3.5.9	Solubility	91
3.5.10	Plasticity and spreadability	91
3.5.11	Electrical resistivity	91
3.6	Oxidation evaluation of soybean oil	92
3.7	Nutritional properties of soybean oil	93
3.8	Food uses of soybean oil	95
3.8.1	Cooking and salad oils	95
3.8.2	Margarine and shortening	96
3.8.3	Mayonnaise and salad dressing	97
	References	98
4	Canola/Rapeseed Oil	107
	Roman Przybylski	
4.1	Introduction	107
4.2	Composition	108
4.2.1	Nature of edible oils and fats	108
4.2.2	Fatty acid composition of canola oil	109
4.2.3	Minor fatty acids	110
4.2.4	Triacylglycerols	111
4.2.5	Polar lipids	113
4.2.6	Tocopherols	115
4.2.7	Sterols	116
4.2.8	Pigments	118
4.2.9	Trace elements	119
4.2.10	Commercial crude oil, refined, and deodorized oil	119
4.2.11	Oxidative stability	120
4.3	Physical and chemical properties	121
4.3.1	Relative density	121
4.3.2	Viscosity	122
4.3.3	Smoke and flash point	122
4.3.4	Cold test	122
4.3.5	Crismer value	122
4.3.6	Saponification number	122
4.3.7	Iodine value	123
4.3.8	Melting characteristics, polymorphism, and crystal properties	123
4.4	Major food uses	123
4.4.1	Standard canola/rapeseed oil	123
4.4.2	High-erucic acid rapeseed (HEAR) oil	132
4.5	Conclusion and outlook	133
	References	133

5 Sunflower Oil	137
Maria A. Grompone	
5.1 Introduction	137
5.2 Sunflower oil from different types of seed	138
5.2.1 Regular sunflower seeds	138
5.2.2 Commercial sunflower oil types	138
5.2.3 Composition of commercially available sunflower oil types	139
5.2.4 Other sunflower seed types to be commercialised	147
5.3 Physical and chemical properties	148
5.3.1 Relative density	148
5.3.2 Viscosity	149
5.3.3 Refractive index	149
5.3.4 Smoke point, flash point and fire point	149
5.3.5 Other physical properties	150
5.4 Melting properties and thermal behaviour	150
5.4.1 Melting properties of regular sunflower oil	150
5.4.2 Thermal behaviour of different sunflower oil types	150
5.5 Extraction and processing of sunflower oil	150
5.5.1 Preparation of sunflower seeds for extraction	151
5.5.2 Sunflower oil extraction	151
5.5.3 Processing of crude sunflower oil	151
5.6 Modified properties of sunflower oil	153
5.6.1 Hydrogenation of regular sunflower oil	154
5.6.2 Interesterification of sunflower oil	154
5.7 Oxidative stability of commercial sunflower oils	155
5.7.1 Inherent stability of different commercial sunflower oil types	155
5.7.2 Shelf-life of sunflower oil	156
5.7.3 Accelerated ageing of sunflower oil	157
5.7.4 Stabilisation of sunflower oil by added antioxidants	158
5.8 Food uses of different sunflower oil types	160
5.8.1 Use of regular sunflower oil as salad oil and cooking oil	160
5.8.2 Margarine and shortening	160
5.9 Frying use of commercial sunflower oil types	161
5.9.1 Frying use of regular sunflower oil	161
5.9.2 Frying use of high-oleic sunflower oil	162
5.9.3 Frying use of mid-oleic sunflower oil	163
5.9.4 Frying use of sunflower oils with a high content of saturated fatty acids	163
Acknowledgement	163
References	163
6 The Lauric (Coconut and Palm Kernel) Oils	169
Ibrahim Nuzul Amri	
6.1 Introduction	169
6.2 Coconut oil	169
6.2.1 Coconut palm	169

6.2.2	Coconut oil	170
6.2.3	Composition	171
6.2.4	Properties	175
6.2.5	Trade specifications	177
6.3	Palm kernel oil	178
6.3.1	Palm kernel oil	178
6.3.2	Composition	179
6.3.3	Properties	183
6.3.4	Trade specifications	185
6.4	Processing	185
6.4.1	Fractionation	185
6.4.2	Hydrogenation	187
6.4.3	Interesterification	188
6.5	Food uses	190
6.5.1	Frying	190
6.5.2	Margarine	190
6.5.3	Medium-chain triacylglycerols	191
6.5.4	Speciality fats: Cocoa butter substitutes	192
6.5.5	Filling creams	192
6.5.6	Non-dairy creamer	192
6.5.7	Non-dairy whipping cream	193
6.5.8	Non-dairy cheese	193
6.5.9	Filled milk	193
6.5.10	Ice cream	193
6.5.11	Toffees and caramels	194
6.6	Health aspects	194
	References	194
7	Cottonseed Oil	199
	Michael K. Dowd	
7.1	Introduction	199
7.2	History	200
7.3	Seed composition	203
7.4	Oil composition	204
7.4.1	Triacylglycerol fatty acids	205
7.4.2	Other oil components	208
7.4.3	Gossypol	211
7.5	Chemical and physical properties of cottonseed oil	213
7.6	Processing	216
7.6.1	Seed preparation	216
7.6.2	Oil extraction	217
7.6.3	Oil finishing	218
7.6.4	Additional processing	219
7.7	Cottonseed oil uses	219
7.8	Co-product uses	220
	References	221

8	Groundnut (Peanut) Oil	225
	Lisa L. Dean, Jack P. Davis, and Timothy H. Sanders	
8.1	Peanut production, history, and oil extraction	225
8.2	Oil uses	226
8.2.1	Frying and food	226
8.2.2	Feed	227
8.3	Composition of groundnut oil	227
8.3.1	Oil in seed	227
8.3.2	Fatty acids	228
8.3.3	High-oleic peanut oil	229
8.3.4	Triacylglycerol structure	230
8.3.5	Phospholipids	231
8.3.6	Sterols	232
8.3.7	Antioxidants	232
8.4	Chemical and physical characteristics of groundnut oil	234
8.4.1	General	234
8.4.2	Color	234
8.4.3	Density and viscosity	234
8.4.4	Melting point/crystallization	235
8.4.5	Free fatty acid (FFA)	236
8.4.6	Iodine value (IV)	236
8.4.7	Peroxide value	236
8.4.8	Acetyl value	236
8.4.9	Heat of fusion	236
8.4.10	Unsaponifiable material	236
8.5	Health issues	237
8.5.1	Cardiovascular disease and diabetes	237
8.5.2	Weight control	237
8.5.3	Allergy	238
	Note	239
	References	239
9	Olive Oil	243
	Dimitrios Boskou	
9.1	Introduction	243
9.2	Extraction of olive oil from olives	243
9.2.1	Pressure	244
9.2.2	Centrifugation (three-phase system)	244
9.2.3	Two-phase decanters	244
9.2.4	Percolation (selective filtration)	245
9.2.5	Processing aids	245
9.2.6	Extraction of pomace oil (olive residue oil)	245
9.3	Olive oil composition	245
9.3.1	Fatty acids and triacylglycerols	246
9.3.2	Mono- and di-acylglycerols	247
9.3.3	Other constituents	247

9.4	Effect of processing olives on the composition of virgin olive oils	258
9.4.1	Aroma compounds	258
9.4.2	Polyphenols	258
9.4.3	Other minor constituents	259
9.5	Refining and modification	259
9.5.1	Olive oil and olive pomace oil refining	259
9.5.2	Refining and minor constituents	260
9.6	Hardening and interesterification	261
9.7	Quality, genuineness and regulations	261
9.7.1	Olive oil	262
9.7.2	Analysis and authentication	264
9.8	Consumption and culinary applications	266
9.8.1	Olive oil in frying	267
	References	268
10	Corn Oil	273
	Robert A. Moreau	
10.1	Composition of corn oil	273
10.1.1	Introduction: The corn oil industry	273
10.1.2	Common corn oil refining steps and effects on oil composition	274
10.1.3	The composition of crude corn oils – comparison of corn germ oil, corn kernel oil, and corn fiber oil	277
10.1.4	Fatty acid composition of corn triacylglycerols	277
10.1.5	Triacylglycerol molecular species	278
10.1.6	Unsaponifiables and phytosterols	278
10.1.7	Tocopherols and tocotrienols	279
10.1.8	Carotenoids	280
10.1.9	<i>Trans</i> fatty acids	282
10.2	Properties of corn oil	282
10.2.1	Chemical and physical properties	282
10.2.2	Stability	282
10.2.3	Nutritional properties	284
10.3	Major food uses of corn oil	285
10.3.1	Cooking/salad oil	285
10.3.2	Margarines and spreads	285
10.4	Conclusions	286
	References	286
11	Minor and Speciality Oils	291
	S. Prakash Kochhar	
11.1	Introduction	291
11.2	Sesame seed oil	291
11.2.1	World seed production	291
11.2.2	Lipid composition	292
11.2.3	Seed processing and oil refining	296

11.2.4	Sesame antioxidants and oil stability	297
11.2.5	Health-promoting effects	298
11.3	Rice bran oil	299
11.3.1	Production of bran and oil extraction	299
11.3.2	Oil refining and high-value by-products	301
11.3.3	Lipid composition and food uses	303
11.3.4	Potential health benefits and future trends	305
11.4	Flaxseed (linseed and linola) oil	306
11.4.1	Flax production and oil composition	306
11.4.2	Edible uses of flaxseed and its oil	308
11.4.3	Linola oil	309
11.5	Safflower oil	309
11.6	Argan kernel oil	313
11.7	Avocado oil	315
11.8	Camelina seed oil	315
11.9	Grape seed oil	317
11.10	Pumpkin seed oil	319
11.11	Sea buckthorn oil	320
11.12	Cocoa butter and CBE	321
11.12.1	Cocoa butter	321
11.12.2	Illipe butter (Borneo tallow)	322
11.12.3	Kokum butter	322
11.12.4	Sal fat	322
11.12.5	Shea butter	323
11.12.6	Mango kernel fat	324
11.13	Oils containing γ -linolenic acid (GLA) and stearidonic acid (SDA)	324
11.13.1	Evening primrose oil	324
11.13.2	Borage oil	325
11.13.3	Blackcurrant seed oil	326
11.13.4	Stearidonic acid oils	326
11.13.5	Nutritional and health benefits of GLA and SDA oils	327
11.14	Tree nut oils	327
11.14.1	Brazil nut kernel oil	328
11.14.2	Hazel nut oil	328
11.14.3	Macadamia nut oil	329
11.14.4	Walnut oil	331
11.14.5	Health benefits of nuts and nut lipids	331
	References	331
	Useful Websites	343
	<i>Index</i>	347

Preface to the First Edition

Our dietary intake comprises three macronutrients (protein, carbohydrate and lipid) and a large but unknown number of micronutrients (vitamins, minerals, antioxidants etc.). Good health rests, in part, on an adequate and balanced supply of these components. This book is concerned with the major sources of lipids and the micronutrients that they contain.

Supplies and consumption of oils and fats are generally described in terms of seventeen commodity oils, four of which are of animal origin and the remainder of which are derived from plants. This selection of oils does not include cocoa butter, with an annual production of around 1.7 million tonnes, which is used almost entirely for the purpose of making chocolate. Nor does it include oils consumed in the form of nuts. The production and trade data that are available and are detailed in the first chapter relate to crops either grown and harvested for the oils that they contain (e.g. rape and sunflower oils) or crops that contain oils as significant by-products (e.g. cottonseed and corn oils).

Annual production and consumption of oils and fats is about 119 million tonnes and rising steadily at a rate of 2–6 million tonnes per year. This is required to meet the demand, which also grows at around this rate, partly as a consequence of increasing population but more because of increasing income, especially in developing countries. Around 14% of current oil and fat production is used as starting material for the oleochemical industry and around 6% is used as animal feed (and indirectly therefore as human food). The remaining 80% is used for human food – as spreads, frying oil, salad oils, cooking fat etc. These facts provide the framework for this book.

After the first chapter on production and trade, there follow ten chapters covering thirteen oils. The four dominant oils are discussed first: soybean, palm, rape/canola and sunflower. These are followed by chapters on two lauric oils (coconut and palmkernel), cottonseed oil, groundnut (peanut) oil, olive oil, corn oil and three minor but interesting oils (sesame, rice bran and flaxseed). The authors – from Europe, Asia and North America – were invited to cover the following topics: the native oils in their original form and in modified forms resulting from partial hydrogenation, fractionation or interesterification, and related oils produced by conventional seed breeding and/or genetic modification. For each of these, information is provided on component triacylglycerols, fatty acids, minor components (phospholipids, sterols, tocopherols, carotenoids etc.) and their major food uses.

The book will serve as a rich source of data on these oils and the important minor components that they contain. It should therefore be of special value to food producers requiring up-to-date information on their raw materials, which will probably already have been processed, at least in part.

The editor thanks the authors for their efforts to convert his concept into a reality and for their patience and willing cooperation, and he acknowledges the generous help and advice that he has received from the publisher, Dr Graeme MacKintosh and his colleagues.

Frank D. Gunstone

Preface to the Second Edition

It is nine years since the first edition of this book was published. The success of this led to the idea that we should produce a second, updated and extended edition. Each revised chapter has new information that has been published since 2002 and the final chapter has been extended to cover the more important minor seed oils. As in the first edition, there is an emphasis on data for both the major and minor components present in each oil.

Significant changes in the last nine years have been the development of seeds producing oils with a different fatty acid composition based on current nutritional views. For example, there are more high-oleic varieties of several oils. Current views on the nutritional properties of *trans* acids and the requirement in some countries to report these on food labels have had an influence on avoiding partial hydrogenation and finding alternative ways of producing oils and fats with the required nutritional and physical properties.

In the years between 2001/02 and 2008/09, production of the nine major vegetable oils rose 42% from 93 to 132 million tonnes. In this period there was an increased use for non-food purposes and consequent pressure on the supplies required to meet the food needs of a population growing in number and in disposable income.

While many of the chapters have been revised by the original authors, new authors were found for three of the chapters. I am indebted to all the authors for their efforts and for their patience with the editor. I also acknowledge the assistance provided by David McDade and his colleagues at Wiley-Blackwell.

Frank D. Gunstone

Contributors

Dr Dimitrios Boskou

Laboratory of Food Chemistry
and Technology
School of Chemistry
Aristotle University of Thessaloniki
University Campus, Thessaloniki 54124
Greece

Dr Jack P. Davis

United States Department of Agriculture
Agricultural Research Service
Market Quality and Handling
Research Unit
Box 7624, North Carolina State University
Raleigh, NC 27695-7624
USA

Dr Lisa L. Dean

United States Department
of Agriculture
Agricultural Research Service
Market Quality and Handling Research
Unit
Box 7624, North Carolina State
University
Raleigh, NC 27695-7624
USA

Dr Michael K. Dowd

USDA ARS SRRC
1100 Robert E Lee Blvd
New Orleans, LA 70124-4305
USA

Professor Maria A. Grompone

Av General Flores 2124
Montevideo 11800
Uruguay

Professor Frank D. Gunstone

3 Dempster Court
St Andrews
Fife KY16 9EU
Scotland

Dr Ibrahim Nuzul Amri

Malaysian Palm Oil Board
6 Persiaran Institusi
43000 Kajang, Selangor
Malaysia

Dr S. Prakash Kochhar

SPK Consultancy Services
14 Holmemoor Drive
Sonning
Reading RG4 6TE
UK

Dr Siew Wai Lin

Malaysian Palm Oil Board
6 Persiaran Institusi,
43000 Kajang, Selangor
Malaysia

Dr Robert A. Moreau

Eastern Regional Research Center,
United States Department of Agriculture,
Agricultural Research Service,
600 East Mermaid Lane,
Wyndmoor, Pennsylvania
USA

Professor Roman Przybylski

University of Lethbridge
Department of Chemistry and
Biochemistry
Lethbridge, Alberta
Canada T1K 3M4

Dr Timothy H. Sanders
United States Department
of Agriculture
Agricultural Research Service
Market Quality and Handling
Research Unit
Box 7624, North Carolina
State University
Raleigh, NC 27695-7624
USA

Professor Tong Wang
Department of Food Science and
Human Nutrition
2312 Food Sciences Building
Iowa State University
Ames, Iowa 50011-1061
USA

List of Abbreviations

ABTS	2,2'-azino-bis(3-ethylbenzthiazoline-6-sulphonic acid)
ALA	alpha-linolenic acid (18:3n-3, all <i>cis</i>)
AMF	anhydrous milk fat
AOCS	American Oil Chemists' Society
AOM	active oxygen method
AP	ascorbyl palmitate
B	behenic acid
BCO	blackcurrant oil
BF	butterfat
BfR	Federal Institute for Risk Assessment
BHA	butylated hydroxyanisole
BHT	butylated hydroxytoluene
BNO	Brazil nut oil
BO	borage oil
CAE	caffeic acid equivalent
CAN	canola oil
cp	Centipoise
CB	cocoa butter
CBE	cocoa butter equivalent
CBI	cocoa butter improver
CBR	coca butter replacement
CHD	cardiovascular heart disease or coronary heart disease
CLA	conjugated linoleic acid
CLnA	conjugated linolenic acid (18:3)
CO	coconut oil
CPKO	crude palm kernel oil
CPO	crude palm oil
CVD	cardiovascular disease
DAF	days after flowering
DAG	diacylglycerol(s)
DGDG	digalactosyl diglyceride
DHA	docosahexenoic acid
DMPS	dimethylpolysiloxane
DNA	deoxyribonucleic acid
DOBI	deterioration of bleachability index
DPPH	1,1-diphenyl-2-picrylhydrazyl
DSC	differential scanning calorimetry
EDTA	ethylenediaminetetraacetic acid

EPA	eicosapentaenoic acid; or Environmental Protection Agency
EPO	evening primrose oil
EU	European Union
EU-27	27 countries of the European Union
FA	fatty acid
FAC	fatty acid composition
FAO	Food and Agriculture Organisation
FAS	Foreign Agricultural Service
FDA	Food and Drug Administration (US)
FFA	free fatty acids
FFB	fresh fruit bunch
FHSBO	fully hydrogenated soybean oil
GC	gas chromatography
GE	glycidol fatty acid esters
GG	galactosyl glycerol
GHG	greenhouse gas(es)
GLA	gamma-linolenic acid (18:3n-6, all <i>cis</i>)
GLC	gas liquid chromatography
GLCO	gamma linolenic canola oil
GM	genetically modified or genetic modification
HDL	high-density lipoprotein(s)
HEAR	high-erucic rapeseed oil
HLaCO	high-lauric canola oil
HNO	hazelnut oil
HO	high-oleic oil
HOCO	high-oleic canola oil
HOLLCO	high-oleic low-linolenic canola oil
HOLLSOY	high-oleic low-linolenic soybean oil
HOSO	high-oleic sunflower oil
HOSUN	high oleic sunflower oil
HP HL	high-palmitic/high-linoleic sunflower oil
HP HO	high-palmitic/high-oleic sunflower oil
HPKS	hydrogenated palm kernel stearin
HPLC	high-performance liquid chromatography
HPO	hydrogenated palm oil
HPOo	hydrogenated palm olein
HS HL	high-stearic/high-linoleic sunflower oil
HS HO	high-stearic/high-oleic sunflower oil
HS HP	high-stearic/high-palmitic sunflower oil
HSCO	high-stearic canola oil
HYDCO	hydrogenated canola oil
HYDSOY	hydrogenated soybean oil
ICCA	Interstate Cottonseed Crushers Association
IEPO	interesterified palm oil
IOOC	International Olive Oil Council
ISO	International Standard Organisation
IV	iodine value
L	linoleic acid

LCA	life-cycle analysis
LCPUFA	long-chain polyunsaturated fatty acids
LDL	low-density lipoprotein
LEAR	low-erucic rapeseed oil
LFRA	Leatherhead Food Research Association (UK)
LLCO	low-linolenic canola oil
Ln	linolenic acid
LPC	lysophosphatidylcholines
LPE	lysophosphatidylethanolamines
M&I	moisture and impurities
MAG	monoacylglycerol(s)
MCF-7	human breast cancer cell line
MCFA	medium-chain fatty acid
MCPD	3-monochloro-1,2-propanediol
MEOMA	Malayan Edible Oil Manufacturers' Association
MGDG	monogalactosyl diglycerol
MNO	macadamia nut oil
MO	mid-oleic oil
MOSUN	medium-oleic sunflower oil
MPOB	Malaysian Palm Oil Board
MPP	dipalmitoyl myristoyl glycerol
MT	metric ton (tonne, 1000 Kg)
mt	million tonnes
MUFA	monounsaturated fatty acids
NCPA	National Cottonseed Products Association
NCVT	National Cotton Variety Trials
NESHAP	National Emission Standards for Hazardous Air Pollutants
NSA	National Sunflower Association (US)
NMR	nuclear magnetic resonance
ND	non detectable
nr	not recorded
O	oleic acid
O/L	ratio of oleic acid to linoleic acid
OOO	oleic-oleic-oleic triacylglycerol (triolein)
OSI	oxidative stability index
P	palmitic
PA	phosphatidic acids
PBSY	prime bleachable summer yellow (grade of cottonseed oil)
PC	phosphatidylcholines
PCR	polymerase chain reaction
PDG	palm diacylglycerols
PDI	protein dispersibility index
PDO	Protected Designations of Origin
PE	phosphatidylethanolamines
PET	polyethylene terephthalate
PFAD	palm fatty acid distillate
PG	phosphatidylglycerols; or propyl gallate
PHSBO	partially hydrogenated soybean oil

PI	phosphatidylinositols
PKO	palm kernel oil
PKOo	palm kernel olein
PKS	palm kernel stearin
PL	phospholipids
PMF	palm mid-fraction
PO	palm oil
POME	palm oil mill effluent
POO	dioleo palmitoyl glycerol (includes OPO isomer)
POo	palm olein
POP	dipalmitoyl oleoyl glycerol (includes PPO isomer)
POs	palm stearin
ppm	parts per million (mg/kg)
PPP	tripalmitoyl glycerol (triplamitin)
PPSt	dipalmitoyl stearoyl glycerol
PS	phosphatidylserines
PV	peroxide value
RBD	refined, bleached and deodorised
RI	refractive index
RNAi	RNA interference (genetic technique used to interrupt the normal translation of mRNA molecules)
RSO	rapeseed oil
S	stearic; or saturated (type of fatty acid)
SBDD	soybean deodorizer distillate
SBO	soybean oil
SCPA	Society of Cotton Products Analysts
SDA	stearidonic acid (18:4n-3, all- <i>cis</i>)
SEP	sequential extraction process
SFI	solid fat index
SfMF	soft milkfat fraction
SFO	sunflower oil
SG	esterified phytosterol glycoside; or specific gravity
SMP	slip melting point
<i>sn-</i>	stereospecific or regiospecific numbering
<i>sn-1, sn-2 and sn-3</i>	positions of the glycerol backbone
SOO	stearic-oleic-oleic triacylglycerol
SOS	stearic-oleic-stearic triacylglycerol
SPC	soy protein concentrates
SPI	soy protein isolate
SSS	trisaturated acylglycerols or trisaturates
St	stearic acid
StOO	stearic-oleic-oleic triacylglycerol
StOSt	stearic-oleic-stearic triacylglycerol
SUS	disaturated monounsaturated acylglycerols
SUU	diunsaturated monosaturated acylglycerols
SV	saponification value
TAG	triacylglycerol(s)
TBARS	thiobarbituric acid-reactive substances

TBHQ	tertiary-butylhydroquinone
TIU	trypsin inhibitor unit
TRF	tocotrienol rich fraction
tr	trace
U	unsaturated (type of fatty acid)
US	unsaponifiable matter
USDA	United States Department of Agriculture
USDA–NASS	United State Department of Agriculture – National Agricultural Statistics Service
VCO	virgin coconut oil
WHO	World Health Organisation
WNO	walnut oil
wt	weight

1 Production and Trade of Vegetable Oils

Frank D. Gunstone

1.1 EXTRACTION, REFINING AND PROCESSING

Most vegetable oils are obtained from beans or seeds, which generally furnish two valuable commodities: a fatty oil and a protein-rich meal. Seed extraction is achieved by pressing and/or by extraction with hexane. Oils such as palm and olive, on the other hand, are pressed out of the soft fruit (endosperm). Seeds give oils in differing proportions. Using USDA figures for 2008/09, world average oil yields are: soybean (18%), rapeseed (39%), sunflower (41%), groundnut (32%), cottonseed (14%), coconut (62%) and palmkernel (44%). In addition, yields from palm fruit (45–50%), olive (25–30%) and corn (about 5%) are as indicated. The relatively low yield of oil from soybeans is compensated for by the value of the high-quality protein meal (79%) accompanying the oil.

Some oils, such as virgin olive oil, are used without further treatment other than filtering, but most are refined in some measure before use. The refining processes remove undesirable materials (phospholipids, monoacylglycerols, diacylglycerols, free acids, colour and pigments, oxidised materials, flavour components, trace metals, sulphur compounds and pollutants), but may also remove valuable minor components, including antioxidants and vitamins such as carotenes and tocopherols. The refining processes must therefore be designed to maximise the removal of undesirable components and minimise the removal of the valuable minor components. Some of the latter are recovered from side streams of the refining process to give commercial products such as phospholipids, free acids, tocopherols, carotenes, sterols and squalene. Because of changes that occur during refining, it is important to know whether compositional data refer to crude or refined oil. Details of the levels of these in the various seed oils are given in appropriate chapters in this volume. Extraction processes have been described by Fils (2000), De Greyt and Kellens (2000) and, more recently, Dijkstra and Segers (2007). Hamm (2001) has discussed the major differences in extraction and refining procedures in Europe and North America as a consequence of the size of the industrial plant and of the differing oilseeds to be handled.

With only a limited number of oils and fats available on a commercial scale, it is not surprising that on their own these are sometimes inadequate to meet the physical, chemical and nutritional properties required for use in food products. Over a century or more, lipid technologists have designed procedures for overcoming the limitation of having only a restricted range of natural products. In particular, they have sought to modify fatty acid and

Table 1.1 Methods of changing fatty acid and triacylglycerol composition to modify physical, chemical and nutritional properties.

Technological solutions
Blending
Distillation
Fractionation
Hydrogenation
Interesterification with chemical catalysts
Interesterification with specific lipases
Enzymatic enhancement
Biological solutions
Domestication of wild crops
Oils modified by conventional seed breeding
Oils modified by (intra-species) genetic engineering
Lipids from micro-organisms or other unconventional sources

Source: Gunstone (2006).

triacylglycerol composition, knowing that such changes influence the important properties of food fats. These have been classified (Gunstone 2006) into technological and biological procedures such as those listed in Table 1.1.

The procedures most relevant to this book are fractionation, hydrogenation and modification of fatty acid composition by conventional seed breeding or genetic engineering. Details are given in some of the following chapters. As an example, the usefulness of palm oil and palmkernel oil is greatly extended by fractionation. Hydrogenation may be applied in three ways. A very light hydrogenation (brush hydrogenation) applied to soybean oil or rapeseed oil will halve the level of linolenic acid and thereby increase oxidative stability (shelf-life). More extensive, but still partial, hydrogenation is applied to unsaturated liquid oils to produce semi-solid fats that can be used as margarines and spreads. Through this process the levels of polyunsaturated fatty acids are markedly reduced, saturated acid content rises slightly, and there is a large rise in the levels of monounsaturated acids, much of it with *trans* configuration. The *trans* acids have higher melting points than their *cis* isomers, thereby contributing to the desired increase in solid acids. However, *trans* acids are now accepted as having undesirable nutritional properties and the food industry has revised procedures to limit their level. In some countries the level of *trans* acids has to be reported on the packaging and this increases the pressure to minimise the levels of these acids (Wilson 2009). Complete hydrogenation gives a product with virtually no unsaturated acids and therefore no *trans* acids. This is hardstock that can be blended with unsaturated oil, often before interesterification.

In the following chapters examples are cited of where fatty acid composition has been modified by biological methods, both traditional and modern. Well-known examples include low-erucic acid rapeseed oil (canola oil), high-oleic sunflower oil and low-linolenic soybean oil, but attempts to develop oils with modified fatty acid composition and/or a changed composition of minor products such as tocopherols are being pursued actively in many countries. Some of these have been described (Gunstone 2007b; Watkins 2009) and others are cited in the following chapters of this book. Perhaps the most exciting of these are the attempts to produce long-chain polyunsaturated fatty acids such as eicosapentaenoic acid (20:5) and docosahexaenoic acid (22:6) in a field crop (Napier 2006).

Following their introduction into commercial agriculture in 1996, genetically modified (GM) crops are now grown in many countries. Nevertheless, opposition to such crops

remains in Europe and elsewhere and GM-free products are in demand (Section 1.3.8). This restriction also applies to minor products and it has sometimes been difficult to obtain GM-free lecithin (phospholipid), which comes mainly from soybean oil (Gunstone 2008c).

1.2 VEGETABLE OILS: PRODUCTION, CONSUMPTION AND TRADE

1.2.1 Nine vegetable oils

Oils and fats are produced from animal and vegetable sources, with the former group declining in market share though not in production tonnage. Tallow, lard and butter still occupy the fifth, sixth and seventh positions after the four dominant vegetable oils (palm, soybean, rapeseed and sunflower seed). During the twentieth century the contribution of animal fats fell from 50% to 20% and in 2009 it was less than 16%, showing that vegetable fats have become increasingly dominant (Table 1.2).

Statistical information about production, consumption and trade in oils and fats comes from two major sources. Oil World ISTA Mielke of Hamburg, Germany, is a market analyst producing weekly, monthly, annual and occasional reports on 10 oilseeds, 17 oils and fats (13 vegetable and 4 animal) and 10 oil meals. This valuable information has to be purchased. In contrast, information from the USDA is available free online and is updated each month (search for 'USDA-FAS oilseeds' in Google or any other search engine). However, this latter source does not include animal fats and covers only seven oilseeds (copra, which is the source of coconut oil, cottonseed, palmkernel, groundnut, rapeseed, soybean and sunflower seed), nine oils (from these seven oilseeds and from palm and olive) and eight oilmeals (from the seven oilseeds and from fish). The four additional vegetable oils covered by Oil World are corn, sesame, linseed and castor oils. These two sources of information show good but not perfect agreement. It is not easy for those who produce these reports to collect all the necessary data and figures continue to be subject to revision over several years. Figures in this chapter will come primarily from the USDA source and only occasionally from Oil World. This makes it easier for readers to consult the website themselves for up-to-date information.

The nine vegetable oils can be classified in several ways. One categorisation recognises four major oils (palm, soybean, rapeseed and sunflower), two lauric oils (coconut and palmkernel, with a very different fatty acid composition from the other commodity oils) and the remaining oils (cottonseed, groundnut and olive).

It is also useful to distinguish between oils and fats obtained from tree crops (coconut, palm and olive) and those from annual seed/bean crops, and also to recognise those that are

Table 1.2 Average annual production of total oils and fats and of animal fats (million tonnes and % of total) during the twentieth century.

Years	1909/13	1936/39	1958/62	1976/80	1986/90	1996/2000
Oils and fats (17)	13.1	20.2	29.8	52.6	75.7	105.1
Animal fats (mt)	6.5	8.5	11.8	17.2	19.8	21.3
Animal fats (%)	50	42	40	33	26	20

Source: Based on Mielke (2002) for 17 commodity oils and Hatje (1989).

by-products. These are important factors in understanding the dynamics of production and trade. Trees have to be planted and mature, usually for many years, before they produce an economic crop. Yields from tree crops are influenced by climatic changes from season to season and by inputs such as fertiliser, pesticides, herbicides and irrigation, although crops will continue for many years (25–35 years for palm, around 100 years for olive). Annual crops (soybean, rapeseed, sunflower etc.), on the other hand, depend on planting decisions that farmers make each year based on agricultural and economic factors. These decisions result in changes in supply from year to year. For vegetable oils that are by-products, decisions on annual production depend on factors other than oil production. For example, cotton is grown according to the demand for fibre and not for cottonseed oil. Corn is not grown primarily for its oil and peanuts are grown as much for consumption as nuts as for oil production. It is also worthy of note that crushing soybeans produces two components – soybean oil (18%) and soybean meal (79%) – both of which are valuable commercial products. At different times the oil or the meal is in greater demand.

Annual crops are produced at harvest time, which comes late in the calendar year in the northern hemisphere and early in the calendar year in the southern hemisphere. However, equatorial tree crops such as palm and coconut are harvested throughout the year, though there is some seasonal variation in quantity. Production data are often reported in harvest years such as 2008/09. These relate to 2008 harvests in the northern hemisphere and 2009 harvests in the southern hemisphere.

Table 1.3 Population (millions), production, exports, imports and total consumption (million tonnes) of seven oilseeds and nine vegetable oils in selected countries in 2008/09.

	Pop	Oilseeds*			Oils [§]			
		Prod	Exp [†]	Imp	Prod	Exp [†]	Imp	Consump
World**	6829	395.3	94.4	92.9	131.8	55.1	54.3	129.3
China	1323	57.8	1.2	44.1	16.0		9.8	24.6
EU-27	497			17.8	15.4		8.7	22.6
India	1198	33.7			6.8		8.8	14.7
USA	315	89.2	35.8		9.6	1.5	3.2	11.2
Indonesia	230			1.4	22.7	16.6		6.0
Brazil	194	59.5	30.1			2.0		5.1
Malaysia	27				19.4	16.8	1.3	4.6
Pakistan	181						2.2	3.4
Russia	141							3.0
Japan	127			5.8				2.1
Mexico	110			4.9				2.0
Argentina	40	35.7	6.3		7.7	5.8		1.8
Turkey	75			1.7			0.8	1.7
Egypt	83			1.2			1.5	1.6

Source: USDA, December 2009.

Notes:

* Oilseeds are copra, cottonseed, palmkernel, peanut (groundnut), rapeseed, soybean and sunflowerseed. Oils also include palm and olive.

** The countries selected are the largest consumers of vegetable oils.

§ These figures cover oil extracted from both indigenous and imported seeds.

† Canada (population 34 million) exported 10.0 million tonnes of seed and 1.6 million tonnes of oil. Ukraine (population 46 million) exported 3.7 million tonnes of seed and 2.2 million tonnes of oil.

In discussing trade in oilseeds and oils in geographical terms, it is useful to recognise four types of countries/regions. These are discussed below and illustrated in Table 1.3. Population figures are in millions and relate to 2009.

- Countries with small populations that produce large amounts of oilseeds/oils and are large exporters of these commodities. Examples are Australia (population 21 million), Malaysia (27 million), Canada (34 million), Argentina (40 million) and Ukraine (46 million).
- Countries with large populations that produce large amounts of oilseeds/oils and fats to feed their own populations but are still significant exporters. Examples are the USA (315 million), Indonesia (230 million) and Brazil (194 million).
- Countries with very large populations that are major importers despite local production. China (1323 million), India (1198 million) and other highly populated countries in Asia belong to this category. The Indian subcontinent of India, Pakistan (181 million), Bangladesh (162 million) and Sri Lanka (20 million) is a very large importer of vegetable oils.
- Finally there are countries/regions that are essentially traders. They produce, consume, import and export these commodities. The 27 countries of the European Union (EU-27) form the biggest example, but Hong Kong and Singapore are also significant traders by virtue of their geographical closeness to the world's largest importer (China) and exporters (Indonesia and Malaysia).

Tables 1.4 and 1.5 show the annual production of nine vegetable oils between 1995/96 and 2008/09 (14 years). Total production of the nine oils rose from 71 to 133 million tonnes

Table 1.4 Production (million tonnes) of nine vegetable oils during the period 1995/96 to 2008/09.

	9 oils	Palm	Soya	Rape	Sun	5 oils*
1995/96	71.2	16.2	20.3	11.1	9.1	14.5
1996/97	73.8	17.6	20.4	10.5	8.6	16.7
1997/98	75.2	16.9	22.4	11.4	8.5	16.0
1998/99	80.3	19.2	24.4	11.8	9.3	15.6
1999/2000	86.0	21.8	24.5	14.0	9.3	16.4
2000/01	89.8	24.3	26.7	13.3	8.2	17.3
2001/02	92.7	25.3	28.9	13.1	7.4	18.0
2002/03	96.1	27.6	30.6	12.2	8.1	17.6
2003/04	102.8	30.0	30.2	14.1	9.2	19.3
2004/05	111.7	33.5	32.6	15.7	9.2	20.7
2005/06	118.7	35.8	34.6	17.3	10.6	20.4
2006/07	121.5	37.2	36.4	17.0	10.6	20.3
2007/08	127.8	40.9	37.5	18.3	9.7	21.4
2008/09	131.8	42.4	35.7	20.4	11.8	21.5
Increase 1995/96 to 2001/02	21.5	9.1	8.6	2.0	-1.7	3.5
Increase 2002/03 to 2008/09	35.7	14.8	5.1	8.2	3.7	3.9

Source: USDA, December 2009.

Note:

* Coconut, cottonseed, olive, palmkernel and peanut (groundnut) oils.

- [White Skins/Black Masks: Representation and Colonialism pdf, azw \(kindle\)](#)
- [Can Holding in a Fart Kill You?: Over 150 Curious Questions and Intriguing Answers for free](#)
- [Australian Serial Killers - The rage for revenge pdf, azw \(kindle\), epub, doc, mobi](#)
- [High Society: The Central Role of Mind-Altering Drugs in History, Science, and Culture book](#)

- <http://pittiger.com/lib/Theories-of-Mathematics-Education--Seeking-New-Frontiers--Advances-in-Mathematics-Education-.pdf>
- <http://www.experienceolvera.co.uk/library/Helping-Your-Child-with-Extreme-Picky-Eating--A-Step-by-Step-Guide-for-Overcoming-Selective-Eating--Food-Aversi>
- <http://growingsomeroots.com/ebooks/Australian-Serial-Killers---The-rage-for-revenge.pdf>
- <http://betsy.wesleychapelcomputerrepair.com/library/10-Simple-Solutions-for-Building-Self-Esteem--How-to-End-Self-Doubt--Gain-Confidence----Create-a-Positive-Self->